

# Index

- ABARM (Aquifer Boundary And Recharge Model), 88–9
- acetate, 9, 14
- acetic acid, 6
- acridine, 198–203, 207
- actium<sup>228</sup>, 184–6
- adsorbed activity constants, 215–16
- advection, 145–6, 168–76, 185, 219–20
- aerobic degradation, 9, 45–51, 201  
in groundwater, 155, 161–5, 171–2
- aggregation, 227–8
- air sparging, 7, 241
- alcohol flushing, 7, 241
- aliphatic hydrocarbons, 163–5
- alkalinity, 21–8, 40, 150–6, 162
- alkanes, 46–7, 192–4
- alkyl ammonium, 211
- alkylbenzenes, 161–5
- C3-alkylbenzenes, 163–5
- C4-alkylbenzene, 163
- alkyl ethoxylate surfactant, 229
- C3-alkylnaphthalenes, 163–5
- alkylphenol ethoxylate, 229–32
- C3-alkylphenols, 163–5
- Alloa, 180
- alluvial aquifer, 55, 189–93
- aluminium, 21, 23–5
- ammonium, 137–65, 170–1, 192–3, 214–5
- amphilphilic molecules, 227–32
- anaerobic degradation, 9, 155–6, 170–3, 208
- analysis comparisons, 119–25
- animal waste land disposal, 93–9
- ANOVA (Nested Analysis Of Variance), 119, 121–5
- anoxic condition, 164
- anthracene, 163–5
- Aquatic Effect Assessment reports, 102–4
- aqueous phase, 205–12
- aquifer protection, 86–9
- aquitard, 139, 159
- ARC/INFO GIS software, 93
- arrays of wells, 6, 9–10, 220
- arsenic, 25, 32, 34, 181–6
- asbestos, 32
- attenuation, 3, 6, 9, 40, 142  
tars, 149–57, 165, 202–3, 205–12
- bacteria, 45–51, 165, 167–77, 192, 197–8
- Baffins, 30, 34–5
- barriers, 6–10, 23, 29, 33, 66, 70  
Canada, 69, 236, 239–41  
Ploiesti, 189, 191–2
- Bear's equation, 14–16
- bentonite slurry, 33–4
- benzene, 162–5, 198–203, 207
- benzofuran, 198–203, 207
- benzothiophene, 198–203, 207
- bias in testing, 121–5
- bicarbonate, 192–3
- bioaugmentation, 45–51
- biodegradation, 3, 40, 146, 164–5, 189–93  
clay, 197–204, 205–12
- biofilm, 167–8, 170–5
- Bioplume II and III models, 173–5
- bioremediation, 6–10, 45–51, 70, 241
- biosurfactants, 47–50
- bismuth<sup>212</sup>, 184–6
- Bo'ness, 179–86
- Borden Base test, 235–41
- bottom movement, 180–1
- Breeze Hill, 214–17
- Brij-30, 90
- bromine, 182–6, 197, 200–3, 208
- BTEX (mono-aromatic hydrocarbons), 9 88  
from coal tar, 161, 163–5, 197, 205–12
- C-soil, 36
- cadmium, 20, 25, 32, 81, 91, 122–5, 182–6
- caesium<sup>137</sup>, 180–1, 184–6
- calcite, 153, 155, 214
- calcium, 22–4, 25, 150–6, 214–7
- Cambus, 179–180
- Canada, 68–9, 235–9
- capillary fringe, 13–18, 240
- capillary zone, 219
- capture zones, 85–91
- CARACAS, 59
- carbazole, 198–203, 205–12
- carbon, 156, 169–70, 201, 206–7, 230–1
- carbon dioxide, 46, 48–50
- carbonate, 15, 151, 153
- catabolic repression, 50
- cation exchange, 4, 21–5, 153–6, 164–77, 211–17
- cation pairs, 214–17
- cementious compounds, 20–8
- CERCLA, 79
- Chalk aquifer, 102–5, 219–26
- CHCs (Chlorinated HydroCarbons), 3–10, 220–6, 235–4
- Chiana River Valley, 93–9
- chlorides, 20, 25, 214, 221–6  
in clay, 182–6, 197–203, 208  
coal tar waste, 139, 150, 152

- chlorinated thermal effluent, 180  
 Cindesti aquifer, 190  
 clayey till, 197–204, 205–12  
 clays, 19–28, 33, 89, 192  
 CLEA (Contaminated Land Exposure Assessment)  
   model, 36, 40–3  
 clean-up feasibility, 3–11, 55, 67, 79–83, 219–26, 239–41  
 cloud point, 227–9  
 CMC (Critical Micelle Concentration), 227–32  
 coal tar, 137–47, 149–57, 159–65, 205–12, 235–41  
 cobalt, 122–5, 181, 183–6  
 coking plant *see* Rexco  
 column experiments, 26–7, 173–6, 197–203, 213–17, 240  
 composting, 45–50  
 containment, 6–7, 19–28, 220, 235–41  
 ‘Contaminated Land’ definition, 80  
 copolymeric nonionic surfactants, 227–33  
 copper, 19–28, 32, 120–5, 181–6  
 cost benefit analysis, 70–1, 106, 111–16, 132  
 costs, 7–8, 19–21, 55–61, 63–71  
 Coventry Carboniferous Sandstone, 240  
 CPT (Cone Penetration Test), 112–16  
 creosote, 137, 150, 197–204  
 o-cresol, 162–5, 198–203, 207  
 m,p-cresol, 162–5  
 cresols, 137  
 chromium, 181–6  
 CT (carbon tetrachloride), 3, 222–6  
 CTRL (Channel Tunnel Rail Link), 101–7  
 CTS (Collaborative Trial in Sampling), 119–25
- damage-effect correlation, 128–9  
 Damkohler number, 173–5  
 data collection, 32–6, 64, 74–6, 86–7, 116  
   site costs, 131, 137  
 1,2-DCA (1,2-dichloroethane), 3, 6  
 c-DCE (c-1,2-dichloroethene), 3, 6, 9  
 1,1-DCE (1,1-dichloroethene), 3, 6  
 DCM (dichloromethane or methylene chloride), 3  
 Debye-Huckel equation, 215  
*n*-decane, 49  
 decision making, 64–5, 129–32, 175–6  
 delineation, 137–47, 185–91, 240  
 Delphi consensus, 131  
 denitrification, 201  
 denitritification, 199–200  
 Department of the Environment, 30, 32, 36  
 Derelict Land Grant, 58  
 desorption, 48  
 dibenzofuran, 197–203, 205–12  
 dibenzothiophene, 198–203, 205–12  
 diesel, 240  
 diffusion, 167–76, 203–12, 220, 225–6, 238–41  
 dimethylphenols, 198–203  
 dioxin, 40–1  
 dipole–dipole attraction, 209, 211–12  
 dispersion, 226–40
- dissolution, 214, 236–7, 240–1  
 DNAPLs (Dense Non-Aqueous-Phase Liquids), 3 7–8,  
   10, 235–41  
 DOC (Dissolved Organic Carbon), 170  
 dolomite, 153  
 Doncaster enquiry, 106  
 Dounreay, 185  
 down-gradient membrane, 13
- Eastney Marina, 30–1  
 EIA (Environmental Impact Assessment) indicators,  
   127–33  
 electron receptor, 167–77  
 elution, 23, 165  
 emplaced source test, 235–41  
 encapsulation, 19–20, 32, 81  
 Environmental Agency, 36–8, 57–9, 69–70, 79–90, 102,  
   106  
 environmental indicators, 128  
 enzymes, 45, 50, 169, 173  
 equilibrium, 213–17, 236–41  
 ethylbenzene, 162–5, 198–203, 207  
 ethylene dibromide, 8–9  
 ethylene oxide in surfactant, 227–8  
 European policies, 19–20, 29, 38, 55–61, 94  
 exposure pathways, 36–40  
 extensive technologies, 81–3  
 external costs, 63  
 extraction, 7, 227
- Fick’s Law, 220  
 field investigations, sampling, 112–16  
 finger-printed hydrocarbons, 111–16, 192–4  
 first order decay, 174–5  
 fissures, 219–26  
 flow, 13–18, 137, 137–47, 161, 238–41  
   *see also* hydraulic conductivity, travel time *and*  
   velocity  
 FLOWPATH, 87–9  
 fluorine, 163, 198–203, 205–12  
 fluorescence in measurement, 111–17  
 flux, 180, 220  
 fly ash, 20–1, 24–5  
 Forth Estuary, 179–87  
 fractured, clays, 197–204, 205–12  
   media, 3–4, 9, 139, 146–7, 240–1  
 Freundlich isotherms, 206–12, 231–2  
 fungi, 45  
 funnel and gate systems, 8–10  
 furan, 198–203  
 FVD (Fluorescence Versus Depth), 112–16
- Gaines–Thomas convention, 213–17  
 gallium, 182–6  
 gas barriers, 29, 33–4  
 gasworks sites, 66, 69–70  
 geologists in training, 73–6

- geotextiles, 3–4, 21, 32, 34, 106  
 glaciolucustrine aquifer, 235  
 GLEAMS (Groundwater Loading Effects of  
 Agricultural Management Systems v. 2.01), 93–9  
 Glory Hole, 30–2  
 glucose, 50  
 goal definition, 64–5  
 GPZ (Groundwater Protection Zone), 85–91, 101–7  
 Grangemouth, 180, 184  
 granular media, 3–4, 9, 15–18, 68–9, 235–8  
   *see also* Greensand, Ploiesti, Triassic  
 Greensand aquifers, 102–5  
 ground quality dataset, 32–6  
 grout curtain, 69  
 Guideline Values for Contaminants in soils, 37–43  
 gypsum, 153, 238
- hazard assessment, 75–6, 127  
 headspace analysis, 46, 220–6  
 health levels, 8, 37–43, 74–6, 111  
 HESP model, 36  
 heterocyclic compounds, 161–5, 197–203, 205–12  
 heterogeneity, 4–10, 75, 146, 236–41  
 heterogeneity, comparative testing, 20, 125  
 homogeneity and small sources, 87–90  
 horizontal and vertical measurement, 111–17  
 Houslow Heath sampling, 119–25  
 hydraulic conductivity, 5–10, 14–18, 210–20  
   Triassic sandstone, 139–40, 150, 161  
   *see also* flow, travel time *and* velocity  
 hydraulic containment, 5–6, 69, 189–92, 220, 238–41  
 hydraulic gradient, 16–18, 173–4  
 hydrocarbon diagnosis, 113–16  
 hydrocarbon/air interface, 13–18  
 hydrophobic organic compounds, 49, 227, 235–41  
 hydrophobic sorption, 7, 49, 206–12, 238–41
- illite, 23–4, 207, 214  
 Imipol, 46, 48–50  
 immobilization, 6–7, 192  
 improvement, soils, 97–9  
*in situ* techniques, 4, 6, 75, 227–32, 241  
 incinerators, 29, 34  
 indicators and site assessment, 127–33  
 indole, 198–203, 207  
 industrial waste, 19–28, 29, 32, 35  
 inorganic contaminants, 19–28, 179–86  
 instantaneous reactions, 173–6  
 interceptor trenches, 13–18, 106, 190–2  
 International Harmonised Protocol for Proficiency  
 Testing, 119, 121–5  
 ion exchanges, 19–28, 21–5, 153–4, 164–77, 213–17  
 iron, 150–6, 162, 164, 170, 182–6  
   bivalent, 21–3, 25, 192–4  
   zero-valent, 9 239  
 isolation, 6–7
- isotherm non-linearity, 206–12  
 Italian regulations, 94
- J-Leverett function, 14
- kaolinite, 22–3, 25, 207  
 karst, 88–9  
 Kincardine, 179–180, 182–6  
 Kinneil, 180, 184  
 K<sub>oc</sub> constant, 206–12
- labile hydrocarbons, 49, 192  
 landfill, 20, 29–36, 69–71, 81, 120–5  
 Landfill Tax, 80–2  
 laws, European, 29, 37, 55–61, 93–9  
   UK, 55–61, 79–83  
   *see also* USA  
 LCA (Life Cycle Analysis), 66–71, 127, 130–2  
 leaching, 25, 27, 29, 93–9, 162, 214–17  
 lead, 19–28, 24–5, 32, 120–5, 181–6  
 licensing, 81  
 LIF (Laser Induced Fluorescence), 13–18, 111–17  
 lime stabilization, 19–28  
 LNAPL (Lighter Non-Aqueous-Phase Liquid), 3,  
   13–18  
 Longannet, 180  
 longitudinal diffusion, 238  
 Lumsden Road estate, 30–3, 36  
 Lyotropic series, 23
- mackinawite, 153  
 magnesium, 22–7, 150  
 maize, 94–9  
 manganese, 23, 150, 162, 170, 182–6  
   Ploiesti, 192–3  
 mapping, 86–90  
 market, technical development, 81–3  
 mercury, 32, 34, 181–6  
 methane, 33, 152, 162  
 methodologies, decisions, 129–32  
   GPZs, 85–91, 94–9, 101–6  
 methyl dibenzofurane, 163–5  
 methylfluorene, 163–5  
 1-methylnaphthalene, 162–5, 198–203, 207  
 2-methylnaphthalene, 162–5  
 methylphenanthrene, 163–5  
 1-methylpyrrole, 198–203, 207  
 2-methylquinoline, 198–203, 207  
 methylthiophene, 163–5  
 Mezhevskoe oil-spill, 45–51  
 micelles, 227–31  
 Michaelis-Menten kinetics, 168–9, 173  
 migration control, 7–10  
 migration, LNAPLs, 16–18  
 Milton Common, 30, 33–4  
 mineral structure, 21–2  
 MINTEQA2, 153, 155

- mitigating measures, 105–7  
 mobility, 2, 20–8, 154–6, 229–30, 238–41  
 mobilization of nutrients, 94–9  
 models, biodegradation, 88–9, 153–4, 167–77  
   biofin, 167–76  
   Bioplume II and III, 173–5  
   cation exchange, 213–17  
   contaminant intakes and exposures, 37–43  
   FLOWPATH, 87–90  
   Freundlich, 206–12, 230  
   GLEAMS, 93–9  
   groundwater, 7, 93–9, 137–47  
   GPZ, 86–90  
   MINTEQA2, 153, 155  
   MODFLOW, 87–9, 140  
   MODPATH, 140  
   MT3D, 140  
   non-biofilm, 168–9, 170–1, 175–6  
   PHREEQM, 153  
   Quickflow, 88  
   risk factors, 32, 34, 36–40, 128–32  
   sorption, 209–12  
   transport, 167–75  
 MODFLOW, 87–9, 140  
 MODPATH, 140  
 monitoring, 17–18, 74–6, 116, 127–133, 235  
 monitoring wells, 9–10, 140–3, 189  
   chalk, 220, 230  
   Rexco site, 147, 150, 161  
   tracer test, 238–41  
 mono-aromatic hydrocarbons *see* BTEX  
 Monod kinetics, 168–74  
 montmorillonite, 12, 23, 211, 214  
 MSR (molar solubilization ratio), 229–32  
 MT3D, 140  
 MTBE (methyl tertiary butyl ether), 8–9, 175–6  
 multi-disciplinary approach, 73–6  
 multi-layer sorption, 211  
  
 naphthalenes, 49, 161–5, 197–203, 207, 228–32  
 Nashenden, 102–6  
 natural gradient, 235–6  
 natural remediation, 6, 149, 189–93  
   *see also* biodegradation, remediation *and* weathered  
 Netherlands, 79–81  
 nickel, 20, 25, 184  
 nitrates, 9, 93–9, 192–4  
   groundwater, 150–6, 162, 169–70  
 nitrification, 150, 152–6, 164  
 nitrite, 150, 152, 162, 174, 199  
 nitrogen, 35, 45–6, 48–9, 169–70, 208  
*Nitrosomas* sp., 174  
 non-aqueous phase liquids *see* DNAPLs and LNAPLs  
 non-hydrophobic sorption, 206–12  
 non-ideal behaviour, cation pairs, 216–17  
 non-invasive methods, decisions, 111–16, 132  
 non-linear sorption, 206–7, 238  
  
 NSOs (Nitrogen, Sulphur, Oxygen heterocyclic compounds), 163, 197–203, 205–12  
 nutrients, 45–6, 48, 94–9, 167, 179  
   Baffins Pond, 35  
 NVOC (Non-Volatile Organic Compounds), 152, 155, 162–3, 165  
  
 oleic acid, 46, 49  
 optimal remedial approach, 64  
 options analysis, 66–77, 81, 106  
 organic coal tar waste, 149–66, 205–12  
 organic solute, 172  
 orphan sites, 55–61  
 oxidation, 47–9, 191–2, 241  
 oxygen, 9, 151–2, 167–77, 198–203, 208  
   in attenuation, 45–51, 156, 164, 184  
  
 P103 surfactant, 228–32  
 PAHs (Polycyclic Aromatic Hydrocarbons), 25, 45, 49, 116, 161–5  
   and surfactants, 227–32  
   and transport, 25, 197–204, 235–41  
   parameters in investigation, 127  
   particle bound contamination, 179–87  
   particle size, SPM (Suspended Particulate Matter), 14–18, 75, 180–6  
   particle tracking, 87–8, 145  
   partition coefficients, 183–6  
   partitioning, 219–26, 227–32  
   passive, amendments, 9–10, 13, 235  
   permeable reaction wall, 236, 239–41  
   pathway analysis, 74, 237  
   Paulsgrove, 29  
 PCBs (PolyChlorinated Biphenols), 25, 225–6, 240  
 PCE (Perchloroethene), 3, 6, 7, 9, 226, 235–9  
 PE surfactants, 227–33  
 pedigree matrix, 129  
 PEO (PolyEthylene Oxide), 227–30  
 permeability, 4, 190, 192, 219  
   soils, 27, 95–9  
 Permo-Trias aquifer tests, 139, 213–17  
 pessimistic hypotheses, 96–9  
 pesticides, 94, 197  
 pH, 20, 22–8, 39, 47  
   clayey till, 207  
   Rexco site, 150–6, 161–2, 167  
 phenanthrene, 49, 162–5, 198–203, 207, 228–32  
 phenol, 161–5, 197–203, 205–7  
 phenols, 137, 139  
 phosphorus, 35, 45–6, 48–9  
 phreatic aquifer, 190–3  
 PHREEQM, 153  
 phytane, 192–4  
 phytotoxic limits, 123  
 pilot studies, 81  
 pipeline rupture, 191–2  
 Ploiesti, 189–94

- plume, ammonium, 137–47, 149–57, 162–5  
 biodegradation models, 167–76  
 CHCs, 3–10, 219–26  
 distinguishable, 112–16, 192  
 hydrocarbon, 68–9, 190–3  
 metal, 23  
 tracer test, 235–41  
 Polazna soils, 49–50  
 polluter pays, 20–1, 58–9, 63  
 Polycyclic Aromatic Hydrocarbons *see* PAHs  
 polynuclear aromatic hydrocarbons, 32, 34  
 porosity, 15–18, 190, 192, 219, 239  
 Port Edgar, 181, 183–6  
 Port Solent, 30–1  
 Portsmouth, 29–36  
 potassium permanganate, 7  
 potassium, 25, 35, 150, 182–6  
 pozzolana, 20–8  
 PPO (ProPylene Oxide) in surfactant, 227–30  
 PPPG (Policy and Practice for the Protection of Groundwater), 85–91, 101–7  
 precipitation, 20–8  
 preferential affinity, 183–4  
 prioritization, 59, 111  
 pristane, 192–4  
 probability density functions, 41–3  
 process integration, 81  
 protection levels, 90  
 protection zones, 85–91  
 pump and treat (P&T), 4–8, 10, 116, 220, 235–41  
 pyrene, 228–32  
 pyrrole, 161–2, 198–203, 207
- Quickflow, 88  
 quinolene, 161–2, 198–203, 207–8, 211
- radioactivity levels, 20, 181–6  
 Raoult's Law, 237  
 reactive media, 9  
 reclamation, Rexco site, 139, 143, 146–7  
 redox reactions, 173–7, 191–2, 202–3  
 Rexco site, 141, 153–6, 167  
 reduction, 149, 154–6, 164–5, 167–77, 184, 199–200  
 regrowth, 4–6  
 regulatory bodies, 55–61, 79–83, 101–7  
 reinjected water, 10, 240  
 remediation, 3–10, 56–7, 235–241  
 analysis, 63–71, 79–83  
 clay, 197–204, 205–12  
 future techniques, 79–83  
*in situ*, 81, 192, 238–41  
 natural, 6–9, 40, 146, 164–5, 189–93  
 strategies, 71–6  
 volume, 112, 116  
 replacement rates, 173–6  
 respiration, 167, 169  
 retardation, 4, 203, 238, 240  
 Rexco site, 146–7, 150, 154, 164–5  
 reverse contamination, 220, 240  
 Rexco coking plant, 137–48, 149–57, 159–66  
*Rhodoccus ruber* IEGM AC 235 45–51  
 rhodochrosite, 153  
 rhubidium, 182–6  
 Ringe till, 197–203, 205–12  
 risk assessment, 64–5, 127, 149–57  
 CTRL, 101–7  
 geological, 73–7  
 guidelines, 32, 34–43, 59  
 management, 6–10  
 processes, 111–16  
 Risk Assistant, 36  
 root zone, 49, 189  
 ROST<sup>tm</sup> (Rapid Optical Screening Tool), 112–16  
 Rosyth, 179–81, 184–6  
 rotation of crops, 94–9  
 ruthenium<sup>106</sup>, 184–6
- Safety Case reports, 104–6  
 salts precipitation, 24, 27  
 sampling, 120–5, 150  
 processes, 4, 75, 191–2, 240  
 sandy sediments' contamination, 192  
 sealed drainage, 106  
 seasons, 49–50, 179–87, 219–20, 238, 240  
 sediments' contamination, 179–87, 192  
 selectivity constants, 213–17  
 Sellafield, 181, 185–6  
 semi-passive technology, 9–10  
 sensitivity indicators, 59, 173  
 shallow aquifer, 94  
 sheet pile cells, 7  
 siderite, 153–6  
 silicon, 21–5, 182–6, 214  
 site, assessment, 116–25, 127–33  
 history, 64, 137–9, 147  
 investigation training, 74–5  
 sampling, 119–25  
 Site-ASSESS (Assessment of Sampling Strategies Expert Support System), 129–32  
 site-specific pollution, 37–43, 181–6  
 skimming, 13–18, 189–91  
 sludges, 19–28  
 small sources, 85–91  
 smectite, 22–3, 207, 211  
 Society Point, 183–6  
 sodium, 23, 25, 150  
 sodium azide, 198–203  
 sodium cation pairs, 214–17  
 sodium salts, 199–200, 208  
 sodium-montorillorite, 211  
 soil, European contaminated sites, 55–61  
 flushing agents, 7, 227–33  
 parameters, 13–18, 25–8, 38

- soil, European contaminated sites (*continued*)  
 permeability, 27, 95–9  
 vapour extraction, 7, 70  
 washing agents, 70, 227–33
- solid phase activities coefficients, 213–17
- solubilities, 171–6, 197–8, 236–41
- solubilization, 227–32
- solvents, 7, 235–41
- sorption, 4–5, 7, 21, 192, 238–41  
 ammonium plume, 146, 154–6  
 heterocyclic compounds, 205–12  
 and surfactants, 228–32
- source destruction, 6–7
- Speke Reservoir, 213–17
- spillage, 49–50, 66, 103, 106  
 weathered, 114, 190–2
- SPM (Suspended Particulate Matter), 179–86, 180–6
- SPT (Sampling Proficiency Test), 119–25
- stabilization, 19–28, 64
- Statutory Water Undertakers, 101–7
- steam flushing, 7, 241
- Stirling, 180
- strontium, 182–6
- subsurface source zone, 4–10, 235–7
- Suitable for Use policy, 79–83
- sulphate, 139, 150–6, 162, 164, 170
- sulphate ions, 25, 27
- sulphide, 162
- sulphur, 150, 182–6, 205
- sunflower, 98
- Superfund, 79
- surface density, 211–12
- surfactants, 45–50, 227–33, 241
- sustainable development, 31–43, 59
- synperonic PE surfactants, 227–32
- Tangier Road/Little Salterns, 30, 34–6
- task analysis, 74–5
- TCA (1,1-trichloroethane), 3, 6, 9, 222–6
- TCE (trichloroethene), 3, 6–7, 9, 222–6, 235–40
- TCM (chloroform or trichloromethane), 3, 46, 222–6, 235–40
- technical-economic analysis, 63–71
- techniques, 111–35, 127, 235–241  
 analysis, 64–8, 79–83, 175–6
- tetradecane, 49
- thermal treatment, 70, 180
- thorium<sup>214</sup>, 184–6
- till, clayey, 197–204, 205–12
- time, 4–5, 40, 69, 81, 327–41
- time-dependent effects, 40
- titanium, 25, 182–6
- TOC (Total Organic Carbon), 39, 151–6
- toluene, 162–5, 171–2, 198–203, 207, 208
- toxic sites, 19–28, 38, 120–5, 184–6  
 Portsmouth, 32–4
- toxic surfactants, 49–50, 232
- tracer test, 198–200, 235–41
- training, 73–7
- transport, 21, 164–7, 197–204, 237–9
- transverse migration, 238–40
- travel time, 85–90, 102, 190  
*see also* flow, hydraulic conductivity *and* velocity
- Trehandanstalt, 58
- trenches, 13–18, 33–42, 189–9
- Triassic, 137–66, 170, 213
- Triton X-100, 90
- turbidity maximum, 180
- USA, 13–18, 20, 69–70, 79–80, 82, 89
- UCM (unresolved complex mixture), 192
- ultra-violet fluorescence, 111–16
- ultrasonication, 46
- uncertainty, 129, 131–2
- US-EPA, 32–6, 235
- vadose zone, 142, 165
- van Dam's equation, 14–16
- Vaneslow convention, 213–17
- vapour extraction, 116, 241
- VC (chloroethene or vinyl chloride), 3, 6, 9
- velocity, 150, 185, 198–201, 203, 238–9  
 model, 172, 176  
 Ploiesti, 190, 192  
*see also* flow, hydraulic conductivity *and* travel time
- ventilation, 45, 49–51, 70
- vermiculite, 207
- vertical distribution, 114–7, 142–7, 172–3, 236–41
- vertical models, 172–3
- VOCs (volatile organic chemicals), 3–11, 219–26
- volatiles, 47–9, 192, 207
- volume contamination, 4–5, 20, 112
- water supplies law, 55–61
- water/hydrocarbon interface, 4, 7, 13–18, 116, 189–94, 220–6
- weathered oil spills, 114, 192
- weighting information, 128–32
- wells, Chalk, 220, 230  
 monitoring, 6–10, 15–18, 189  
 Rexco site, 138–47, 150, 161–5  
 tracer test, 238–41
- wheat, 94–8
- WHPA (Wellhead Protection Area), 88–9
- Wirksworth sampling, 119–25
- WTM (Wavelength-Time Matrix), 113–16
- xylenes, 162–5, 198–203, 207
- xlenols, 137, 162–5, 207
- Yttrium, 182–6
- zero-valent iron, 9
- zinc, 19, 25, 32, 122–5, 181–6
- zirconium, 182–6
- ZWTF (Zone of Water Table Fluctuation), 219–26