

Index

Page numbers in **bold** are principal sources; terms in *italics* refer to glossary items

- Aberllefenni slate mine, Powys 249–50
abrasion resistance 104, 321, 325, 361, 365, 369, 370, **441, 442, 443, 448**
abrasive cleaning 375, **394–7**, 419
acid immersion tests 105, **354, 368–9**, 441, 447
acid rain 18, 19, 55, 369, 375, 376, **381**, 391, 447
acidic cleaners 397–403
acidic rocks 31
acoustic logging **96**, 99
acrylic polymers 418
aerial photography 69
age, geological 7–**11**, 47, 465
aggregate impact tests 320–1, 323, **446**
air blast **149–51**, 174
albite 321
algae 20, 375, **380**, 403
alkali *feldspars* 63
alkaline cleaners 397–403
alkaline igneous rocks **31–2**, 35–7
alkoxoysilanes 418
All Hallows Tower, London 419–22
ammonium nitrate fuel-oil mixtures (ANFOs) 168, **169**, 170, 181, 192, 264, 283
ammonium-based cleaners 401
amphiboles 35, 49, 50, **62**
analcite 321
Ancaster stone **104**, 451
andalusite 48
andesites **31**, 32, 35, 364
ANFOs *see* ammonium nitrate fuel-oil mixtures
anorthosites 35
aprites 31
aragonite 41
archaeological sites **72**, 83, 153
area of influence **118–21**, 124
Areas of Outstanding Natural Beauty (AONBs) 149
arenites 8
arkoses **40–1**, 63
armourstone **289–326**
 case histories 279, 281, 284, 323–4
 processing 209–14
 production 180–1
 terminology 293–305
 testing 293, 311–12, 317–22, 442, 443, 444, 445
 transport 130, 214
artificial stone 234–5
ashlar 128, 229, **329**, 330, 361, 362
asphalt removal 404
assessment **107–41**, 441
attapulgitic clay **402**, 404
augite 29, 32, 52, **62**
bacterial weathering 20, 375, **380**, 381
banding **32**, 35, 48–9, 57
barite 40, **63**
basalts 8, **31**, 32, 35, 36, 52, 102, 165, 364, 466
basic rocks **31**
batholiths **34–5**, 36
Bathstone 139, 197, 198, **241–2**, 384
beach protection/nourishment 289, **291–2**
bed thickness 70, **108**, 110, 126, 128, 132, 182
bedding planes **13–14**, 53–4, 77–9, 110–16
Beer stone **53**, 465
bees 375–6, **380**
bending strength *see* flexural strength
benzene 417–18
biochemical weathering 20, **380–1**
biocide chemicals 403
biolithites 43
biological weathering 20, 375, **380–1**
biotite 14, 48, **62**
Birchover gritstone quarry 252–4
bird damage **375–6**, 380, 404
bitumen 358, **404**
blackening 375, 381, **382–3**
Blaenau Ffestiniog slate 250–2
blast vibration 149–51
blasthole drilling 168, 171, **175**
blasting **168–75**
 armourstone production 180–1, 313–14
 dimension stone production 189–94, 241, 253
 restoration 153
 rock fill production 180, 264–7, 273, 282–4
 slate 198–200, 245, 250
blistering 380, **383**, 384
block grading **292–5**, 296, 308, 319, 322
block kriging 124
block production **171–4**, 182, 183–95
block shape 292–3, **295–305**, 319, 322, 444
block size 79, 112–13, 124–6, 158–9, 162, 265–6, 292–3, 308–9, 319
blue hearted stone **19**, 242, 378
Blue Lias 377
blueschists 49, 50
bollards 227, **349**, 361
bonding 332
borehole drilling **83–9**, 112–13
boundstones 43

- Box Hill 196, 241
 breakwaters **289–92**, 305, 307, 314–17
breccias 57
 brecciated marble 234
 Bristar 194–5
broached finishes 227, 229
 brucite 57
 building stone *see* dimension stone; masonry stone
 bulk density 96, 310, 364, 368, **445**, 451, 464, 466, 469
 bunds 149
 bush hammering **227**, 243
 by-products 67, 70, 73, **133–4**, 232, 234, 245, 252, 254
- calc-alkaline igneous rocks **31**, 35–6, 50
 calcination 375
 calcite 41, **63**, 380
calcretes 70
 Calgon 404
 carbonate minerals 63
 carbonate rocks **41–46**, 100, 384
carbonation **18–19**, 382–3, 385
 carbonatite 36
Cardox **194**, 253
 Carrara marble **184**, 187, 188, 195, 196, 352, 380
 carving **233–4**, 345, 381, 419
 cash flow analysis 134–8
 caustic soda 394, **401**
 cement 374, 414
 deposit removal 404
 natural 26, 40, 63, 182
 see also mortar; Portland cement
 chalcidony 47
 chalk 2, **41–2**, 43, 52–3, 56, 465
channelling 183, 186
 chemical cleaning **397–403**, 404, 405
 chemical weathering **17–20**, 35, 365, 377–8, 381
cherts 46–7, 50
 chewing gum 394
 Chilmark limestone 139
 chlorides 50, **385**
chlorite 14, 18, 48, 49, 58, 62, **63**
chloritoid 48
 chronostratigraphy **9–11**, 47
 civil engineering uses of stone **346–9**, 361
cladding 246, **336–41**, 354–9, 361, 363, 441, 443, 465, 467; *see also* dye tests; facings; fixings
 classification tests, rock fill 262–4
 classifications
 carbonate rocks 41–6
 igneous rocks 27–31
 metamorphic rocks 49
 resources and reserves **65–6**, 140
 rippability **166–8**, 266–7
 rock mass weathering **20–3**, 179, 469
 rock strength 469
 scales of deterioration 386
 sedimentary rocks 37–47
 stone suitability 445
clay minerals 17–18, 20, **39**, 40, 103, 377, 402
 clays and clay soils 2, **63**, 389, 402, 404
 cleaning methods 375, 376, **391–405**, 419
cleavage **32**, 62, 451
 igneous rocks 13, 165, 243
 metamorphic 14–16, 48, 58, 59, 165, 230, 244, 246, 249, 251
 sedimentary rocks 165
 Clipsham stone 419
 clunch (Totternhoe stone) **53**, 139
 Coade stone 235
 coastal protection **291**, 305; 323, 324; *see also* breakwaters; sea defences
 Collyweston slates **54**, 139
 colour codes **79**, 116
 compaction, rock fill **258–60**, 263–4, 269–73, 275, 442
 compressibility **258**, 259, 263–4, 277, 442, 446
compressive strength 104, 360–2, 364, 388, 451
 tests 101, 104, 366–7, 441, 442, 443, **446**, 464–9
 condensation 375
 conductivity surveys 90
 cone indenter 101
 cone sheets 34
conglomerates 39–40
 consolidants 378
 contour scaling 381
 contouring **114–15**, 118, 121–2
 contraction *see* thermal movements
 Control of Substances Hazardous to Health (COSHH)
 151, 400
 Coombefield limestone quarry 237–41
copings **345–6**, 419, 443
corbel slots 359
 cordierite 48
 core drilling **84–9**, 441
cornices 345, 361, 374
 COSHH (Control of Substances Hazardous to Health)
 151, 400
 costs 67, 74, 128, 129, **130–40**, 352, 390
 Cotswold limestones 165, 234, **241**
 cracking **354–5**, 358–9, 388, 389–90
cramps, **332**, 359, 362, 374, 376, 394, 419; *see also* fixings
 creep **260**, **263**, 284–6, 356, 365
cross-bedding 14, **54**, 70
 crystalline limestones **42**, 53
 crystallization; *see* salt crystallization
 Cumberland slate 58, 59
current bedding 14, **54**, 253
 cyclographic projections 114–15
- dacites **31**, 35
 dams 257, 258, 271, 272, **273–7**, 347, 361
 dating of rocks 9–11
 De Lank granite quarry 242–3

- deformation* **258–60**, 263, 274, 275, 277, **333–4**
 modulus of **334**, 361, 363, 368, 370, 373, 388, 443, 466, 467
- density 128, 441, **445**
 armourstone **319**, 322–3, 442, 445
 dimension stone 367, **368**, 370, 443, 445, 451, 466
- design requirements, armourstone 309–312
- desk-top studies 67–70
- detergents 376, **403**, 404
- deterioration scales 386
- detonators* 169
- diabases* *see* dolerites
- diagenesis* 37, 40
- dilatometers **368**, 448
- dimension stone 327–72
 costs 129, 130–40
 design 349–60
 effect of weathering 469; *see also* weathering
 failure causes 373–85
 industry review 184
 processing 129, **214–35**
 production 3, 128, **182–200**, 236
 properties **360–6**, 451–69
 quantity assessment 128–9
 testing **366–71**, 386–90, 443
 variations 116
- diopside 62
- diorites* **31**, 36, 50, 62, 63, 466
- dip and strike* 9, 11–12
- discontinuities* **13–16**, 53–4, 77–8
 armourstone 292, 296, 309
 assessment 108
 in borehole cores **88–9**, 99
 and extraction losses 129
 recording 77–9, 388
 and rippability **166–8**, 266–7
 and slope stability 153–8
 variation in 110–16
- dolerites* 8, 29, **31**, 33, 52, 466
- dolly pointing **227**, 243
- dolomites* 2, **41**, 45–6, 63
- Dolos units* 279
- dowel push off test **367**, 370, 447
- down the hole* logging 96–9
- dressng back* 410
- drilling **83–9**, 112–13
 dimension stone production 183, **186**, 243, 250, 252
 presplitting **164–5**, 265
- drop tests 296, **320**, 321, 323
- dry brushing 394–5
- dumites* 31
- durability tests 104–5, 441, **447–8**
 armourstone 321
 dimension stone 104–5, 327, 350–1, **366–9**, 370, 443
 replacement stone 409
 rock fill **262–4**, 442
- duricrusts* 47
- dye penetration tests 236–7, 358, **368**, 388, 389, 447
- dykes* 29, 34, 52
- dynamic compaction **269–70**, 284
- earthquake resistance **330**, 355
- economic assessment 130–40
- EDTA (ethylene diamine-tetra-acetic acid) **402**, 404
- elasticity *see* deformation
- electrical and electromagnetic surveys **90–2**, 96
- embankments *see* dams; highway embankments
- engineering geology* 6, 7
- engraving 227, **233**, 252
- environmental considerations 72, 133, 138, 140, **146–53**, 209, 243
 impact assessment 269, **305–7**
- epidote 39, 51
- European standards 3, 4, **370–1**, 443, 444, 446
- exfoliation 16
- expanding powders **194–5**, 253
- exploration **65–106**, 441
- explosives **168–75**, 189–94, 209, 264–6, 283–4
 of samples 83
- extrusive igneous rocks* **27–8**, 31–2
- fabric **32–3**, 48–9, 116, 182, 376–7
- facies* 54
- facings and *facades* **332–333**, 335–341, 347–349, 355, 361, 382; *see also* cladding
- failure causes, dimension stone **373–85**
- faults **12–13**, 23, 154–8
- feasibility studies 67–74
- feldspars* 17, 49, 50, **63**, 377
- felsite* **32**, 51–2
- felspathoids* **32**, 102
- filter layers, armourstone 292, **302–5**, 308
- finance 67, 74, 128, **130–40**, 352, 390
- finishes, dimension stone **224–9**, 243, 246, 254, 351, 378, 387, 447
- fire damage **375**, 404
- fixings* 236, **336–41**, 355, 356–8, 359
 corrosion **374**, 403
 strength **362–3**, 367–8, 370, 380, 389, 390, 447
see also cramps
- flags 349; *see also* paving
- flame jet* cutting 171, 183, **189**, 243
- flame texturing* **227**, 243, 378, 387
- flexural strength* 361–2, 367, 368, 441, 443, **447**, 465, 466
- flints* **46–7**, 52
- flooring **341**, 365, 369, 375, 448
- flow-banding* 32
- folds* 12
- foliation*, metamorphic **14–16**, 48
- fractals 155–6
- fracture toughness 320, **442**
- fragmentation blasting **171–4**, 180, 192–4, 264, 265–6, 282–4, 313–14
- frame-mounted stone facings 338–40

- framed buildings **335–41**, 361
 freeze-thaw processes 16, 356, **365**, 378–80
 frost resistance tests 104, 321, 354, 369, 441, 443, **447–8**
 fungi **20**, 375
- gabbros* 8, **31**, 35, 36, 52, 62, 364, 466
 gabions 257, **261–2**, 295
 gamma logging 96, 99, 388
 garnet 39, 48, 49, 50, **63**
 GEOARCHIVE 68
 geochronological units 9
 geological time-scale **9–11**, 465
 geomorphology 7, 23–7, 71–2
 geophysical surveys 89–99
geophysics 7
geostatistics 122–4
geotextiles 292, 305
 glauconite 40
 global positioning systems (GPS) 75
 glossing *see* polished finish
gneisses 8, 13, **48–9**, 59, 466
graded bedding 14
 graffiti 405
 grainstones 43
granites 8, 28, **29**, 31–6, 50, 63, 281, 388
 cleaning 393, 401
 joints/cleavage **13**, 32–3, 96, 165
 production statistics 1–3
 properties 364, 388, **466**
 quarry case study 242–3
 sources, UK and Eire 50–1
 uses 50–2, 332, 349
 weathering **50**, 380, 469
 granodiorites **31**, 36, 50
 granulites 49
 gravity surveys 93–4
 grease removal 394, 401, **403**
 Greensand **40**, 56
 greenschists 49, 50
greywackes **40**, 50, 63, 466
 grindstones 252
 grit blasting **227**, 233
grizzlies **209**, 213, 308, 310
grouting 409, **417–18**
 groynes 291–2
 guillotines 232, **233**, 243, 254
 gypsum 19, 380, **381**, 382–3, 389, 393, 401
- Ham Hill stone 82
 hand carving and dressing 233–4
 handling and transport 130, 146–7, **195–6**, 200, 213–14, 314
 Hantergantik quarry 243
 hardness 26, 62, 101, 187, 322, 364, 369, 370, 448
 hassock 54
 health and safety 146–53, 174–5, 400–2
 hem 32–3, 165
- hematite 19–20, 40, **63**
hemispherical projection 114–16, 158
 Hempel Biological Pack 402–3
 highway embankments 257, 259, 270, 271, 273–4, 277–9
 historical sources of stone 1, 68–9, 182–3
honed finish **228**, 351, 365, 369
 Hong Kong airport **279–86**, 292
hornfels 49
hornblende **31**, 50, 62
hydration **17–18**, 20
hydraulic conductivity *see* permeability
 hydraulic splitting **185–6**, 241
 hydrocarbon solvents 404
 hydrochloric acid 401
 hydrofluoric acid 397, **401**
hydrothermal alteration 17–18
hypabyssal igneous rocks **28–30**, 31–2
- igneous rocks* 7, 8, **27–37**
 discontinuities 13
 production statistics 1–3
 properties 360–6, 466
 sources 50–2
 uses 50–2
 weathering 378
ignimbrites **35**, 275
 illite **63**
 impact resistance tests 320–1, 323, 369, 370, 442, **448**
 imports and exports 59–61
 indentation 410
 index tests, rock fill 262–4
 induced polarization (IP) 90–2
 infra-red techniques 388
 Iona marble 62
isograds 121
isopachytes 128
- jams 345
Jenny Lind **228–9**, 250
 joint pattern assessment 108, **110–16**
 joint roughness coefficient (JRC) 154, 161
joints **13**, 33, 34–5, 53–4, 165
 cladding 358
 Coombefield limestone 239–40
 De Lank granite 243
 masonry 329, 333, 360
 mortar 333–5, 360
 recording 77–9
 and slope stability 153–8
 Jurassic limestones 22–3, 27, **42**, 47, 52, 82, 104, 241–2
- kaolinite **19**, 50, 63
 kentallenite 35
 Kentish Ragstone **54**, 377, 419
 kerbs 227, **349**, 361
 Ketton stone **82**, 419
 Kimberlites 36–7

- Kirkby slate quarry, Cumbria 243–6
krigeing 124
 kyanite 48
- land-fill* 153
Larvikite 51
 lathes 224
leucite 32
 lewis 195, 196
lichens 20, 375, 380, 403
 lime method 402
lime mortars 334–5
 lime washing 418, 422
limestones 8, 10, 41–6, 52–6
 classification 41–6
 cleaning 393, 394, 400, 402–3, 403–4
 durability tests 447–8
 field testing 100
 lime water conservation 418
 mortar mixes 413
 production statistics 2
 properties 364, 369, 466
 quarry case study, Portland 237–41
 roofing tiles 54, 342–3
 sources 52–6
 variations 82, 110, 182
 weathering 374, 375, 380, 380–1, 381, 382–5
limonite 19–20, 40
 Lincoln Cathedral stone 73, 139
line drilling 183, 186
linings 336–41, 361
 lintels 345, 361, 374, 389
lopoliths 35, 36
- magnesian limestone 100
 magnesium salts 385
 maps and mapping 1, 6, 9, 69–79
marbles 8, 47, 49, 110, 364, 466
 cleaning 393, 402, 403–4
 production statistics 1–3
 sources 56–9
 trade *see* polishable limestones
 uses 56–9
 weathering 378, 381, 384
 market for stone 130, 132–3, 137, 241
 marlstones 46, 71
masonry stone 218, 327–33
 condition evaluation 385–90
 design and detailing 215–16, 355–60
 failure causes 373–85
 identification 386, 388, 409
 load-bearing and self-supporting 328–33, 355, 360–2
 properties 360–6
 see also dimension stone
 masonry units, testing 446
 mechanical weathering 23–4
 Melbourn Rock 41–2
- metamorphic rocks* 7, 8, 47–50
 cleavage 14–16
 properties 360–6, 466
 sources 56–9
 uses 56–9
 weathering 378
 methyl chloroform 404
 methylene blue test 318, 443
micas 14, 48, 50, 62–3
 micrite 110
 micro-fractures 103, 108, 134, 447
 micro-organisms *see* bacterial weathering
 microblasting 396
 microgranite 50
migmatites 49
 Millstone Grit 252–4, 274
 mineral reserves and resources 65–7, 129–30
mineralogy 7, 62–3, 99–100, 102–3, 110, 445
 igneous rocks 28–32, 50–2
 metamorphic rocks 48
 sedimentary rocks 39–41
 and weathering 377
 mining *see* underground extraction
 moisture content 128, 263, 275, 277, 442, 445; *see also*
 quarry sap
 moisture movements 363–5, 367, 368, 448
 moisture profiling 388
 Monk's Park Bathstone mine 241–2
 Monte Carlo simulations 126, 138
 montmorillonite 19, 63, 103
 Mora poultice 402
 Morecambe Bay 324
 mortar 333–5, 360, 373–4, 376, 389
 deposit removal 404
 in repairs 134, 409, 413–17, 419, 422, 446
 see also Portland cement
 mosses 403
 moving averages 122, 124
 mudrocks and mudstones 40–1, 43, 274–5
 muscovite 14, 62–3
 mylonite 49
- Neasden Hindu temple (Mandir) 328, 352
nepheline 32, 321
 noise 147–9, 243
 norites 31
- obsidian* 31, 32
oedometer tests 263–4, 446
 oil removal 403
olivine 17, 29, 32, 35, 62
oolitic limestones 8, 42–3, 52, 200, 241–2, 465
ophiolites 36, 49, 50
ophitic texture 29
orbicular granites 28
 organic solvents 402, 403, 404, 418
 orientation of discontinuities 99, 114–16

- orogeny* **24**, 47, 49–50
 orthopyroxene 62
 oxidation **19–20**, 380–1, 390
 oxides 63
- packstones 43
padstones 345, 362
 paint removal 404
 palaeontology 7
 pattern blasting 174
 paving 128, 227, 341, **349**, 361, 365, 369, 441, 448, 465
pegmatite 62, 63
 Penrhyn slate quarry, Bethesda 246–9
 peridotites 31
petrographic description **102–3**, 110, 441, 445
 armourstone **318–19**, 442, 445
 dimension stone 367, **368**, 370, 443
 masonry 389
petrology 7
phonolites 36
 phyllites 14, **48**, 58
 physical geology 7, **23–7**
piecing repairs 410
piers **330**, 331, 360, 361
 pillar and stall *see* room and pillar
 piping 305, 307
 pitchstones 31
 pitting 83
plagioclase feldspars 19, 28, 32, 50, 52, 62, **63**
 planers 223–4
 planning permission 145–53
 plaster shooting 209
plastic repairs **413–17**, 419
plate tectonics **23–4**, 35–6, 47, 49–50
plinths **344**, 374
plug and feathers **185–6**, 218, 240–1, 243
plutonic igneous rocks 29–32
point load strength 101, 266–7, 320, 323, 355, 386, 389, 442, **446**, 467
 pointing 376, **410–13**
 polishable limestones 1, 8, **54**, 228, 353
 polyurethanes 418
 popping 209
porosity 96, 99, 104, 121, 364, 368, 370, 441, 445, **451**, 465, 566
 porous rocks 104, 237, 365, 373, 379–380, 384, 401, 448;
 see also quarry sap
porphyries **29–30**, 31, 50, 466
 Portland stone **237–41**, 412, 419
poultices 402–4
 precast stone faced panels **338**, 349, 361
 prefabricated facings 338–40
 presplitting **164–5**, 192, 264–5
 pressure washing 393–4
 processing 129, 130, **209–55**
 production cards 216
 Purbeck stone **353**, 381, 451
pyrite 20, **63**, 252, 275, 354, 381
pyroxenes 29, 35, 49, **62**
- Q Rating* **159**, 163
 quality control **235–7**, 444, 445
 quarry bars 207
 quarry design and planning 144–53
 quarry sap **26**, 200, 242, 380
quartz 8, 41, 49, 50, **63**
quartzites 40, **49**, 58, 59, 364, 466
 Queen's Valley dam, Jersey 275–7
quoins 229, 235, **332**, 344, 345, 361
- radar 94–6, 388
 radon gas **100**, 197, 242, 332
 Ragstone 197, 241
 reconstituted stone 234–5
reduction 20
reed 32–3
 reef limestones 43, 375
 Reigate stone 56
 remote sensing 69–70
 repair 405–22
 case studies 418–22
 mortars **413–17**, 419
 or restoration **373**, 385–90
 repeatability 444
 replacement of stone **405–10**, 419
 repointing 376, 409, 422
 reproducibility 444
 resistivity surveys 90, 91, 99
restoration blasting 153
 restoration of quarry sites 108, 133, **152**, 153
rhyolites **31**, 32, 35, 36, 281, 364
 riebeckite 50
 ringing 236
rip-rap 213, **292**, 293, 302, 308–9
 ripping and rippability **165–8**, 264, 266–7, 275
 Roadford dam, Devon 274–5
rock bolts 163, 164
Rock Color Chart 79
rock fill 130, **257–88**, 307–8, 441–3
 case histories 273–86
 low grade (soft) 257, 270–1
 processing 209
 production 179–80, 264–9
 specification and control 271–3
 testing 258–61, 262–4, 441–3, 444, 445, 446
 rock mass 13, **159**, 163
 and rippability **168**, 264, 266–7
 weathering classification **20–3**, 179, 469
 rock strength classification 469
 roofing 54, **341–342**, 361; *see also* slate roofing
 room and pillar 139, 197–200, 242, 250, 251–2
routers 224
 rubbed finishes **227**, 254

- rubble mound structures **289–91**, 293, 305, 307, 309, 314–17
rubble walls **329**, 330, 361, 362
 rubble-and-mortar core **330–1**, 346, 347, 362, 375
rupture, modulus of 354, 362, 364, 441, 443, **447**, 463, 466
 rusting **374**, 376, 387, 394
- safety of personnel *see* health and safety
 St Luke's Church, Chelsea 398–9
 St Margaret's Church, Westminster 418–19
 St Paul's Island, Alaska 323
 salt crystallization 369, 374, 375, 376, 378, 380, 381, **383–5**, 443, 447
 tests 104–5, 262, 369, 385, 441, 447–8
 sampling 77, 78, **79–89**, 101–2, 108–10, 388–9, 441, 443–4
 sanded finishes 227
 sandstones 8, **39–41**, 63, 104–5
 cleaning **400**, 401, 403
 durability tests 104–5, 369, 447
 mortar mixes 413
 production statistics 2
 properties 364, 466
 quarry case study 252–4
 roofing tiles 342–3
 sources 52–6
 uses 52–6
 variation 110, 121
 weathering 378, 383, 385
 satellite imagery 69–70
 saturation coefficient 441, 445
 sawn finishes 227
 saws for extraction 182, **186–9**, 194, 242, 245, 250
 saws for processing **218–23**, 229–31, 243, 246, 250, 253–4
 scagliola 234
 Scammonden dam 271, **273–4**
 scanline sampling 78–9
schists 14, 47, 48, **49**, 59, 63
 Schmidt contour diagrams 114–15
 Schmidt hammer **101**, 322, 386
 scour resistance 292
 screens *see* grizzlies
 sea defences 279, 284, **289–92**, 305–12, 314–17, 323, 324
sealants 358
 secondary breaking 209
 secondary minerals 18
 secondary products *see* by-products
sedimentary rocks 7, 12–14, **37–47**
 properties 360–6, 466
 sources 52–6
 uses 52–6
 weathering 378
 seismic movements **330**, 355
semi-variograms 124
 sensitivity analysis 137
 sepiolite 402
- serpentine 62, 63
setts 233, 243, **349**
shale 2, 270–1, 364, 442
 Shap granite 28, 50
sheltercoats **418**, 422
silcretes 47
 silica 31, 50
silicates 62–3
 silicones 418
 sillimanite 48
 sills (architectural) **345–6**, 375, 382, 419, 443
sills (volcanic) **29**, 34, 52
 siltstones 39–40
 Silver Bed 73
 size *see* block size; grain size; particle size
 skid resistance *see* slip resistance
 slake durability test 270, 442, **448**
slate 47, **48**, 49, 58, 59, 60, 165, 182, 184, 354, 364, 443
 cleaning 403
 flaws 230, **247–8**, 249, 354
 nomenclature 1, 8, **230–1**, 342
 production methods 182, 198–200, 230–1, 243–52
 production statistics **2**, 184
 properties 466
 roofing 184, 200, 229–32, 243–52, **342–4**, 354, 356–7, 359, 443
 sizes 230–1
 testing **354**, 367, 368, 441, 443, 445, 447
 weathering 378, 381
 slip resistance 40, 104, 349, 365–7, 369, 370, 441, 443, **448**
 slope stability 108, 112, 154, **160**, 258, 268–9
 smectite **63**, 103
 smoke **375**, 391, 404
 soaps **403**, 404, 419
 soot **381**, 404
 Southwell Minster 394
 spalling 374, 381
sparite 110
 spinning off 395
 splitting
 block splitting 218
 slate splitting 231–2
 springing 192
 stairs **341**, 361, 465
 steam cleaning 394
step featuring 26
 stereographic projection 114–16, 158
 stiffness, rock fill 284–6
 Stonesfield 'slates' **54**, 139
stratigraphy 7–11
 street furniture 227, **349**
 stress, *in situ* 388
 stripping ratio 131, 138, 145, 245
structural geology 7, **11–16**
 structural movements 389–90
 sub-frame mounted stone facings 338–40

- sulphates 100, 321, 380–381, 385, 442; *see also* gypsum
 sulphides **63**, 380
 surface finishes 224–9
 surface treatments 418
 surveying 74–9
 syenites **32**, 52, 466
- tar removal 394, 403, **404**
 temperature *see* freeze–thaw processes; thermal movements
terrazo 234
terrigenous siliciclastic sediments 8, **38–41**, 46
 testing 3, 99–105, 236–7, 354–5, **441–9**
 armourstone 293, 311–12, 317–22, 442, 443
 dimension stone 366–71, 386–90, 443
 rock fill 258–61, 262–4, 441–3
 slates 354, 367, 368, 441, 443, 445, 447
texture **27–31**, 50–2, 116, 182
 Thiessen polygons **118**, 128
Thiobacillus oxidans 381
tholeiites **32**, 36
 thrusts 12–13
 tiles 54, **233**, 246, 341; *see also* flooring; paving; roofing
 timber stains 404
 time-scale, geological 9–11, 465
 tonalites 31, 50
 Totternhoe stone (clunch) **41–2**, 53, 139
 trachyte **32**, 36
 trade names 54; *see also* nomenclature
 traffic considerations 146–7
transverse strength see rupture
travertines **57**, 60, 364
 trenching 83
trend surface analysis **122**, 124
 triaxial testing 446; *see also* shear strength
 trisodium phosphate (Calgon) 404
 troctolites 31
tuffaceous rocks **35**, 51
 tunnel linings and portals **347–9**, 361
- ultrabasic (ultramafic) rocks **31**, 62
 ultrasonic methods 236, 403
unconformities 13–14
 underground extraction **138–40**, 144–5, 196–200, 241–2, 249–52
- vacuum grouting 417
 varata 192
 vernacular buildings 328, 330
 visual intrusion **149**, 243; *see also* environmental impact assessment
 volcanic plugs 33–4
 volcanic rocks **27–8**, 35
voussoirs 330
- wackestones 43
 wall panels, testing 446
 walls **329–33**, 347, 360, 361, 417
 washing, stone cleaning 393–4
 waste, 138, **200**, 243, 245, 252, 305; *see also* by-products
water absorption 104, 319, 322–3, 354, 365, 368, 370, 386–8, 441–2, **445**, 451, 469
 water repellants 418
 water run-off 374–5, 378, 379, **381–3**, 384, 386, 394
 water washing 393–4
 wave action 17, 291, 293, 305, 310
 wax crayon removal 394
 waxes 418
way **165**, 233, 243
 weak rocks **26**, 28, 47, 22–23; *see also* durability; strength
 wear resistance **365**, 368–9
weathering 5, **16–23**, 29, 35, 311, 378, 469
 armourstone 311
 dimension stone 5, 54–6, 102–5, 327, 354, 361, 365, **368–9**, 373, 376–85, 387, 447
 and durability 104–5, 367, 447
 grade of overburden 177
 of mortar 411
 and sampling **82**, 102–3
 wedging **184–5**, 194, 198
 weight 451; *see also* bulk density
 Weldon stone **139**, 419
 Wells Cathedral 418
 wind action 16–17, 24, 27, 355, 362, 378, **379**
 window sampling 78–9
 work centres 224
 workmanship 358–9
- Young's modulus see* deformation
zeolite-bearing rocks **50**, 102