

Index

- abrasion, in comminution, 108
- abrasion resistance, 285
 - road surfacing, 267
- accelerated polish test, 266
- acoustic impedence, 82
- acoustic prospecting, 60
- adamellite, 157
- adhesion, bituminous mixes, 269–73
- adhesion tests, 192–3, 284
- adits, 99
- Admiralty Charts, 60
- Advisory Committee on Aggregates, 46
- agglomerate, 7
- aggregate abrasion test, 266
- aggregate abrasion value, 108, 183, 276, 280
- aggregate colour, 158
- aggregate crushing test, 265, 274
- aggregate crushing value, 108, 178–80, 253, 260, 275–6
- aggregate crushing value residue, 181
- aggregate drying shrinkage, 218–19
- aggregate grading crushing value, 254
- aggregate grading impact value, 254
- aggregate grading tests, 172–3
- aggregate impact test, 266
- aggregate impact value, 108, 177–80, 208, 253–4, 257, 276, 280
- aggregate impact value residue, 181
- aggregate properties, 299–306
- aggregate properties, for concrete, 201
- aggregate resource maps, 42–4
- aggregate shape tests, 173–4
- aggregate shrinkage, 177, 200, 219
- aggregate sizes, for concrete, 202–3
- aggregate testing, unbound pavements, 253
- aggregate types, 150
- aggregate/cement ratios, 201
- aggregates, sampling, 168
- air blast, 82, 84, 96
- air cyclones, 124
- air photographs, 44, 49
- airfield pavements, 206, 208–9, 280
- alkali content, in concrete, 216
- alkali reactivity, 190–2, 200, 209–11
- alkali-carbonate reaction, 210
- alkali-silica reaction, 145, 189, 209
- alkali-silicate reaction, 210
- alluvial deposits, 16–17
- alluvial fans, 14, 19
- alluvial plains, 17–19
- alteration, 32, 55
- alucrete, 30
- anchor dredging, 92
- andesite, 7, 9
- ANFO, 82
- Anglian Glaciation, 16, 24
- angularity, 175, 285
- anthracite, 129
- Antrim Basalts, 9, 33
- arclyt, 269
- arenite, 13
- argillite, 14, 210
- arkose, 13
- artificial aggregates
 - in mortars, 246
 - road surfacing, 266–7, 269
- ASTM 2419, 173
- ASTM C33, 155, 209, 212, 215, 217, 232
- ASTM C40, 215
- ASTM C88, 187, 209
- ASTM C123, 231
- ASTM C131, 183, 206, 255
- ASTM C144, 231
- ASTM C227, 191, 211
- ASTM C289, 191
- ASTM C294, 155–6
- ASTM C295, 155–6, 159–60, 191
- ASTM C342, 191
- ASTM C535, 183
- ASTM C586, 191, 211
- ASTM D692, 155
- ASTM D693, 155
- ASTM D1241, 289
- attrition, in comminution, 108
- augers, 56, 58
- augite, 250–1, 268
- back-hoes, 76
 - hydraulic, 86, 87
- Bagshot Beds, 243
- ball-deck screens, 121
- ballotini, 269
- banana screens, 119
- barge transport, 134
- barrel washers, 125
- barytes, 200, 216
- basalt, 5, 7, 9
 - crushing, 112
 - polish resistance, 185
- bathymetric surveys, 60
- bauxite, 129, 272
- bauxitic soils, 30
- beach gravels, 26
- Beaully, 26
- bedding, 34
- belt weighers, 134
- bench heights, 83
- benches, 64
- beneficiation, 124–30
- biotite, 217, 232

- bitumen, 192
- bituminous mixes, 281
- Blackheath Beds, 27
- blast furnace slag, 190, 252, 260, 267, 269, 271, 291
- blast holes, 79
- blasting, 81–4
 - agents, 82
 - environmental effects, 96
 - ratio, 84
 - regulations, 82–3
 - specification, 83
 - vibration, 82
- blinding, 117, 120–1
- block-fields, 24
- blow-bars, 112
- boles, 33
- Bond Work Index, 108
- boomers, 60
- boudins, 36
- boulder clay, 9
- Bovey Beds, 27
- braided stream deposits, 17
- 'breeze' blocks, 14
- brickearth, 24
- Bristol Channel, 242
- British Geological Survey, 42, 44, 46–7, 63, 69
- British Standards, 153, 155
- BS 63, 151–2, 271, 276, 280, 282
- BS 410, 235
- BS 594, 152, 276
- BS 598, 280
- BS 812, 55–6, 151–3, 155, 157–60, 158–9, 160–2, 164, 67–8, 170–1, 173, 175–7, 181, 183, 185, 187–91, 194, 204–6, 214–15, 218–19, 229, 231, 233–5, 243, 253, 274, 276, 287
- BS 882, 146, 172, 190, 199–200, 202–4, 206–7, 211–14, 216–17, 225, 228, 238
- BS 1047, 190, 252, 293
- BS 1198, 226, 229, 237, 243
- BS 1199, 226, 229, 231, 237–8, 242–3, 246
- BS 1200, 226, 229, 231, 234, 236–7, 242–3, 246
- BS 1377, 167, 213, 215, 292
- BS 1438, 295
- BS 1881, 181, 201
- BS 3681, 190
- BS 3797, 200, 216
- BS 4029, 56
- BS 4721, 227
- BS 4987, 276
- BS 5328, 190, 205, 211, 213–14, 216
- BS 5750, 137, 193, 202
- BS 5835, 260
- BS 5930, 7, 15, 55–6, 58, 146, 148, 158, 160
- BS 6349, 60
- BS 8007, 206
- BS 8110, 190, 211, 213, 215–16
- Budleigh Salterton Beds, 28
- building sand, 225–6, 233
- building stone, 13
- bulk density, 176, 205
- bulldozers, 77, 92
- Bunter Pebble Beds, 19, 28, 56

- cable percussion boring, 58–9
- CADAM, 153–5, 157
- Caithness Flags, 286
- calcareous mudstone 12
 - calcined bauxite, 269
 - calcined flint, 269
 - calcined limestone, 227
 - calcium sulphate, 216
 - calcrete, 28, 31, 84
 - caliche, 31
 - carbonate sands, 29, 241
 - carbonate sediments, classification, 147
 - Carboniferous Limestone, 9, 13
 - cationic agents, 272
 - cement, 225
 - CEN standards, 158, 194
 - CEN TC 154, 200, 209
 - CEN TC 154 SC2, 200
 - CEN TC 154 SC3, 265
 - CEN TC 154 SC5, 200
 - CEN TC 154 SC6, 211
 - CEN TC 227 WG1, 265
 - CEN TC 227 WG2, 263
 - centrifugal classifiers, 123–4
 - chalk, 14, 217
 - chemical reactivity, filters, 293
 - chemical tests, 189–92
 - chemical weathering, 33, 256
 - chert, 14, 268
 - Chesil Beach, 26
 - china clay, 10, 129
 - chloride content, 189, 259
 - chlorides, in concrete mixes, 213–14
 - chlorite, 210, 257, 268
 - choke feed, 114
 - civil engineering filters, 297
 - classification
 - aggregates, 150–9
 - by properties, 149
 - for engineering, 145–6
 - geological, 45
 - weathering, 146–9
 - classification schemes, 151–9
 - classifiers, 122–6, 131
 - clay lumps, 213
 - clay minerals, 233
 - claystone, 14
 - coagulation, 131–2
 - coal, 12
 - Coat Measures, 9, 13–14
 - coastal deposits, 24–6
 - coating tests, 193
 - coefficient of hardness, 287
 - colliery waste, 14, 190, 251
 - columnar jointing, 35, 37
 - combe deposits, 24
 - comminution, 107–16
 - competence, bedding, 36
 - compression, in comminution, 108
 - concealed resources, 13
 - concrete, 109
 - concrete bleeding, 203, 205
 - concrete density, 199–200
 - concrete mixes, 203
 - conductivity mapping, 49, 51–2
 - cone crushers, 113–14
 - conglomerate, 5, 14–15, 27–8
 - conglomerates
 - cemented, 89
 - drilling, 56

- contraction joints, 37
- Control of Substances Hazardous to Health, 95
- conveyors, 89, 92, 94, 99
- coral, 215
- core logging, 56
- coring, 55
- corrosion, reinforced concrete, 213
- Cotswolds, 19
- Crag formations, 27–8
- crawler loaders, 103
- crawler tractors, 77, 78, 84, 101
- Criglion Quarry, 99
- cross-bedding, 34
- cross-sections, 61
- crushed rock
 - output, 74
 - production, 1
 - sampling, 169
- crushing equipment, 109–15
- crushing plant, 79
- crushing strength, 266, 273–4, 280
- cryoturbation, 23
- cup and ball jointing, 35
- current-bedding, 34

- Danbury Hill, 24
- Danish standards, 240
- Dartmoor, 33
- decking, 82
- dedolomitization, 210
- deflaking screens, 128
- degradation
 - engineering effects, 254
 - unbound pavements, 252
- delay detonation, 82
- demolition wastes, 252
- density separation, 127
- Department of Transport specifications, 260
- depositional terrains, 15–16
- Derbyshire Dome, 13
- derived aggregates, 141, 312
- desert deposits, 28
- detonators, 82
- Deval test, 183, 193, 255, 266, 274, 287
- Devensian Glaciation, 15, 24
- Devon, basic igneous rocks, 9
- dewatering, 89, 130
- DIN 1053, 241
- DIN 4226, 188
- diorite, 7, 9
- dip-joints, 37
- Dogger Bank, 26
- dolerite, 7, 9–10, 218, 273, 286
- dolocrete, 28
- dolomite, 12, 210, 272, 286
 - crushing, 112
- dolomitic limestone, 12
- dolostone, 12
- Douglas Muir Quartz-conglomerate, 27
- down-the-hole drilling, 80, 81
- Downwash Gravels, 24
- drag scrapers, 92
- dragline excavators, 89, 91
- draglines, 102
- dredging, 16–17, 74, 92
 - for sampling, 60
- drift deposits, 15
- drift mining, 99
- drifter drills, 80
- drill equipment selection, 94
- drill hole pattern, 79
- drill rigs, 102
- drilling
 - in quarrying, 79–80
 - for sample collection, 55–6
- drop balling, 85
- dropstones, 26
- drumlins, 20
- dry pit working, 91
- dump trucks, 77, 88, 104, 109
- dune deposits, 24
- dune sands, 29
- Dungeness, 26
- durability
 - concrete, 208
 - filters, 292
 - mortars, 235
- Durability Mill, 257
- duricrusts, 28, 31
- dust hazards, 95–6
- dust pollution, 107
- dust problems, process plant, 136
- dykes, 9

- echo sounding, 60
- edge-runner mills, 116
- efflorescence, 233
- elongation index, 173–4, 204
- EN 29000, 202
- end tipping, 77
- English Channel, 26
- ENV206, 211, 213–15
- environmental factors, process plant, 136
- Environmental Protection Act, 95, 136
- eskers, 20, 26
- estimating methods, reserves, 62
- ettringite, 90, 190
- European Standards, 156, 194–5, 200, 209, 239
 - mortar sands, 239
- excavation techniques, sand and gravel, 89
- excavator, back-hoe, 77
- explosives, 82
- extraction planning, 92
- extrusive igneous rocks, 7

- face shovels, 76, 85, 103
- false-bedding, 34
- fan-deltas, 21
- faults, 36
- feldspar, 216, 268, 270
- felsite, 9–10
- Fenland, 26
- ferricrete, 30–1, 84
- field relations, rocks, 54
- 'fill' uses, 13
- filter aggregate uses, 291
- filter aggregates, 291–8
- filter bed sand, 294
- filter gravel, 295
- filtration, dewatering, 133
- fine aggregate, 203

- finer, in concrete mixes, 212–13
- finer tests, for mortars, 233
- finishing operations, for concrete, 208
- Finnish standards, 241
 - fire resistance, concrete, 220
- Firth of Forth, 26
- fixed plant, 107
- flakiness index, 173–4, 204–5, 282
- Flandrian, 26
- flint, 14, 16
 - polish resistance, 185
- flint gravels, 19
- float-sink separation, 127
- floating grab dredgers, 104
- flocculants, 132
- flood-plain deposits, 17
- floor screed mortars, 228, 238
- flow layering, 35
- flowsheets, process plants, 137–41
- fluvial deposits, 16–19
- foamed slag, 200
- folds, 36
- foliation, 10, 35
- Folkestone Beds, 242–3
- fossils, 12–13
- foundry sand, 241
- fracture cleavage, 36
- fracture spacing, 85
- Franklin point load tests, 181, 288
- free silica content, 108, 112
- freeze–thaw cycles, 256
- freeze–thaw tests, 188
- French standards, 156, 185, 213, 233
- frost heave, 257, 264
- frost resistance, 206, 288
- frost susceptibility, 14, 211
 - tests, 188
- froth flotation, 130
- furnace bottom ash, 252

- garnet, 251
- gel pat tests, 191
- geological appraisal, 53
- geological classification, 53
- geological maps, 41–2, 69, 71
- geological profile maps, 42
- geological structure, 33
- geological time scales, 5–6
- geomorphological terrains, 16
- geophysical methods, 49
- geostatistics, 63–4
- geosynthetics, 250
- German standards, 188, 241
- Giants Causeway, 35
- glacial deposits, 19–24, 20
- glacial sand and gravel, 23
- glacio-deltaic deposits, 21
- glaciofluvial deposits, 7, 21
- glaciofluvial terraces 21
- glass sand, 129
- GLC Specifications, 214–15
- Glensanda quarry, 10, 99
- gneiss, 5, 10, 35, 251
- goethite, 129
- grab dredgers, 90
- grab sampling, 60

- graded bedding, 34
- gradients, on haul roads, 94
- grading
 - and aggregate degradation, 253
 - filters, 292
 - sands, 229–31
- grading characteristics, for concrete, 204
- grading effects, mortar sands, 243–5
- grading limits
 - masonry mortars, 235–7
 - mortar sand, 239–40
- grain-size classification, 44
- granite, 5, 7, 9–10
 - weathering, 33
- granodiorite, 10
- granulated slags, 252
- gravitational classifiers, 122–3
- gravity surveys, 53
- Great Glen Fault, 36
- Great Limestone, 13
- greywacke, 13, 210, 286
 - polish resistance, 185
- grinding, 115–16
- gritstone, crushing, 112
- grizzly screens, 121, 125
- ground bunkers, 133–4
- ground radar surveys, 52
- ground vibration, 96
- Group Classification, 152, 157
- gypcrete, 28
- gypsum, 14, 190, 228
- gypsum plaster, 227
- gyratory crushers, 110, 111
- gyratory disc crushers, 114

- Hampshire Basin, 243
- hard rock, output, 73
- hard rock quarries, 74–89
- haulage roads, 77, 88, 93
- hauling equipment selection, 94
- haystack hills, 31
- head deposits, 24
- Health and Safety at Work Act, 83, 95, 136
- Health and Safety Executive, 95
- heavy concrete, 216
- heavyweight aggregates, 200
- hematite, 129, 200
- high explosives, 82
- Hill Gravel, 24
- hill-side quarries, 74, 75
- hoggin, 24
- Hong Kong
 - granite, 10
 - weathering, 76
- horizontal screens, 20
- hornblende, 250–1, 268
- hornfels, 5, 10–11, 32, 156, 251, 286
 - polish resistance, 185
- hydraulic back-hoes, 91, 103
- hydraulic drilling, 80
- hydraulic excavators, 86, 89, 103
- hydraulic hammers, 85
- hydrocyclones, 123–4, 131
- Hythe Beds, 242

- igneous layering, 35

- igneous rock bodies, 8
- igneous rocks, 5
 - acid, 9, 286
 - basic, 9
 - classification, 7
 - distribution, 10
 - intermediate, 9
 - road surfacing, 266–8
 - unbound aggregates, 250
- immersion tests, 192–3
- immersion tray test, 273
- impact, in comminution, 108
- impactors, 111–13
- impurities
 - in concrete mixes, 212
 - in mortars, 231–2
- in-pit crushing, 87, 89, 98, 109, 110
- in-stream mining, 16
- incinerated refuse, 252
- infra-red imagery, 49
- iron shot, 200
- ironstone gravel, 30
- Irvine, River, 21
- ISO 9000, 193
- isopachytes, 62

- Japan, offshore deposits, 26
- jaw crushers, 110–11
- jigging, 127
- jointing, 35, 82
- joints, 37

- kame terraces, 20–1
- kames, 20
- kaolinite, 30, 32, 268
- kaolinization, 10, 32
- Kent coalfield, 13
- Kentish Ragstone, 14
- Kesgrave Formation, 17, 24, 28
- kettle-holes, 21
- Kilwinning, 241
- Kyleakin, 26

- ladder dredgers, 105
- landfill, 97
- Landsat, 47, 49
- lateritic soils, 30
- lavas, 7, 10
- layer tipping, 77
- leachate, 97
- leaching, desert deposits, 28–9
- lead oxides, 217
- lead shot, 200
- libraries, 47
- lightweight aggregate, 199
- lightweight mortars 246
- lignite, 231, 241
- limestone, 5, 12–13, 272
 - crushing, 112
 - polish resistance, 185
- limestone resources, Peak District, 44
- limewater test, 218
- load equipment selection, 94
- loading equipment, 85
- load-haul-dump, 99–100
- loess, 24

- log washers, 125
- lorry movements, 136
- Los Angeles abrasion value, 183
- Los Angeles test, 183, 185, 193, 206, 253, 255, 260, 266, 274, 287, 289
- Lough Neagh, 241
- Lower Greensand, 242

- macadam, 269–70
- McKelvey diagrams, 61
- magnesian limestone, 12–13
- magnesium sulphate, 216
- magnesium sulphate soundness value, 187, 208–9, 260, 273, 295
- magnetic separation, 129
- magnetite, 200
- Main Limestone, 13
- marble, 149, 271
- March, 26
- marine aggregates, 26–7, 91–2
 - washing, 126
- marine exploration, 58–61
- marine geophysical surveys, 53
- marine-dredged sands, 242
- Market Deeping, 26
- masonry mortar, 227, 235–7
- mechanical properties, for concrete, 206–7
- mechanical property tests, 177, 207
- mechanical weathering, 32
- Mendip Hills, 13
- Mersey grit, 241
- metallic impurities, 217–18, 252
- metamorphic rocks, 5, 10–11, 286
 - classification, 11
 - road surfacing, 266–8
 - unbound aggregates, 251
- metamorphic shield areas, 11
- methane control, 97
- methylene blue test, 189, 208, 213, 233
- mica, 210, 217, 232, 235, 250
- micro-Deval test, 185, 287
- microdiorite, 286
- microfractures, 256
- microgranite, 7, 9–10
- migmatite, 11
- Millstone Grit, 14
 - degradation, 254
- mine waste, 217–18
- Mineral Assessment Reports, 44, 62–3, 70
- mineral extraction, 73
- Mineral Planning Authorities, 136
- Mines and Quarries (Tips) Act, 77, 93
- mining, 73
- mobile crusher, 140
- mobile plant, 107
- modified aggregate impact value, 181
- Mogensen sizer, 122
- moisture content, unbound pavements, 253
- moisture movement, unbound pavements, 258
- monitors, 105
- montmorillonite, 213
- moraines, 19
- mortar bar tests, 191
- mortar sands 229
 - UK, 241
- mortar strength, 243

- mortar types, 227
- mortars, uses, 225
- Mount Sorrel, 10
- mudrock, 5
 - classification, 148
- mudstone, 17
- multi-bucket excavators, 105
- mundic, 218
- Munsell colour scheme, 159
- muscovite, 217, 232

- NAMAS accreditation, 194
- NEN 5920, 215
- Netherlands standards, 215
- 'Newer Drift', 15
- Newer Granites, 10
- NF P18-101, 156
- NF P18-301, 156, 213
- NF P18-556, 156
- NF P18-557, 156
- NF P18-572, 185
- NF P18-595, 233
- NF P85-592, 156
- Nigeria, granites, 33
- noise hazards, 95
- noise levels, process plant, 136
- noise pollution, 107
- normal faults, 36
- North Sea, mortar sands from, 242
- Northern Ireland, mortar sands, 241
- nuisance, 96–7
 - process plant, 136

- oblique shear joints, 37
- Ochil Hills, 10
- offshore areas, 46–7
- offshore sampling, 60
- oil shale waste, 14, 251
- Old Red Sandstone, igneous rocks in, 9
- opaline silica, 14, 268
- open pit quarries, 74, 75
- Ordovician, igneous rocks in, 10
- ore passes, 99
- organic content
 - in concrete, 215
 - in mortar, 232
- organic content tests, 189
- outloading, 134
- outwash deposits, 21, 26
- outwash gravels, 46
- over-pressure, 96
- overburden, 64
 - disposal, 77
- overburden removal, 74, 76–7, 89
- overburden/payrock ratios, 93
- overpressure, 82

- Page impact test, 274
- palisades, 35
- particle classification, 107
- particle density, 205–6
- particle shape, 109, 158
 - for concrete mixes, 204–5
 - filters, 292
 - unbound pavements, 253
- particle size classification, 122
- particle size distribution, 108–9
- particle sizes, 107–8
 - filters, 292
- particle sizing, 116–17
- particle texture
 - for concrete, 205
 - for filters, 292
- Peak District, 44
- peat, 12
- pebble beds, 27–8
- pegging, 117, 119, 121
- pegmatite, 271
- Pennant Sandstone, 14
- Pennines, 9
- Pennsylvania Abrasion Index, 108
- percolating filters, 292
- percussion boring, 58
- periglacial deposits, 24
- perlite, 246
- permeability
 - horizontal, 263–4
 - unbound pavements, 257
- Peterhead, 33
- petrographic description, 159, 164
- petrographic examination, 160
- petrological classification, 151, 200
- petrological group classification, 152
- petrological names, 150
- petrology
 - bituminous mixes, 265
 - effects on adhesion, 270–1
- phyllite, 10, 210
- phyllosilicates, 216
- physical characteristics, 150
- physical weathering, 256
- PIARC, 195, 251
- piedmont fans, 29
- pillow lavas, 34
- pingers, 60
- pipeline bedding, 33
- placer deposits, 64, 127
- plaster blasting, 85
- plastering mortars, 227, 237
- plastic fines, 256
- plasticizers, in mortar sands, 242
- Plateau Gravel, 24
- platy jointing, 35
- plutonic rocks, 7
- pneumatic drills, 80
- point load strength, 85
- point load test, 288
- polished stone value, 10, 168, 185, 268, 277–8
- polishing resistance, 273–4
 - road surfacing, 267
- polystyrene, in mortars, 246
- pop shooting, 85
- pore pressures, 255
- porosity, 7
 - filters, 293
- porphyry, 7, 9
- Portland Beds, 14
- Portland cement, 190, 227, 243, 246
- primary crushing, 109–10
- primary fragmentation, 79
- primary sampling, 167
- primary structures, 34

- process control, 137
- production, for ballast, 286
- production blast drilling, 83
- production units, 73
- psammite, 10
- pulverized fuel ash, 14, 190, 199, 252
- pulverizers, 116
- pumice, 7, 199
- pumping, of concrete, 205
- pyrite, 129, 217–18, 232–3
- pyroclastic rocks, 5, 7

- quality assurance, 137, 193–4, 202
- quarries, hard rock, 74–89
- Quarries (Explosives) Regulations, 79, 82
- quarry face profiles, 79
- quarry haulage, 88
- quarry output, 73–4
- quarry plans, 93
- quarry sampling, 168
- quarrying, 73
- quartz-dolerite, 9
- quartzite, 10, 14, 16, 32, 156, 286
 - crushing, 112
 - polish resistance, 185
- Queensland Standard Q16-1966, 192

- raised beaches, 26
- random sampling, 167
- Reading Beds, 243
- ready, mixed mortar, 227, 245
- recrystallization, 10
- recycled aggregates, 141–2, 324
- reduction ratio, 108, 110–12, 115
- regolith, 15
- relative density, 176
- reliability, estimates, 62
- remote sensing, 41–2, 47, 49
- rendering mixes, 237
- rendering mortars, 227
- rendering sands, 242
- repeatability, testing, 170
- reports, aggregate resource, 46
- reproducibility, testing, 171
- reserves and resources, terminology, 61
- residual soils, 30
- resistivity mapping, 49, 51–2
- resistivity surveys, 49–51
- resource classification, 61–2
- resource maps, 44
 - derivative, 44–6
- resource surveys, offshore, 47
- resources and reserves, 41
- restoration, 77, 89, 93, 97
- reverse faults, 36
- reversed circulation drilling, 58
- reused aggregates, 324
- reworked deposits, 58
- rhyolite, 35
- rinsing, 127
- rippability, 55, 84
- rippers, 101
- ripping, 77, 78, 84
- ripple-bedding, 34
- river channel deposits, 16–17
- river gravels, Thames Valley, 44
- river terrace deposits, 17–19
- river terrace gravels, 24
- road pavement, 6
- road transport, 135
- roadstone, 151
 - classification, 151–3
 - flowsheets, 139–41
 - mechanical properties, 275
 - weathering, 33
- rock colour, 33
- rock durability indicator, 257
- rock porosity, 7
- rock properties, estimation, 6
- rock samples, 160
- rocks, definitions, 5
- rod decks, 118
- rod mills, 115–16
- rolls crushers, 115
- Roman cement, 227
- rotary drilling, 80
- rotary pick, 115
- roundness tests, 176
- Rowley Regis, 9

- sabkhas, 28–9
- salcrete, 28
- salinas, 28
- sample collection, 55
- sample reduction, 167
- sample sizes, 169
- sampling, 167
 - for mortars, 229
- sampling procedures, 168–9
- San Andreas Fault, 36
- sand equivalent value, 173
- sand filters, 293–4
- sand and gravel, 14–15
 - distribution, 15–16
 - flowsheets, 138–9
 - occurrence, 14–15
 - production, 1, 73
 - quarrying, 89–91
 - sampling, 168
- Sandgate Beds, 242
- sandstone, 5, 13–14
- sandurs, 20
- satellite imagery, 47, 49
- scalping, 125
- schist, 5, 10, 35
- Schlumberger arrays, 49
- Schmidt rebound number, 181
- Scotland
 - Midland Valley, 9
 - mortar sands, 241
- scour-hollows, 17
- scrapers, 77, 78, 89, 92, 101
- screen mats, 118
- screening, 117–22
- screening efficiency, 117
- screens, for dewatering, 130–1
- screes, 24
- sea-level changes, 26
- secondary aggregates, unbound pavements, 251
- secondary breaking, 85
- secondary structures, 34, 36

- sedimentary rocks, 5
 - classification, 12, 147
 - road surfacing, 266–8
 - unbound aggregates, 251
- sedimentation tests, 233–4
- seismic surveys, 48, 52
 - offshore, 60
- seismic velocities, 84
- self-discharging trains, 134
- semi-variograms, 63
- sericite, 268
- serpentine, 268
- SFS 5516, 241
- shale, 32
- Shap quarries, 11
- shape sorting, 127–8
- sheared rocks, 10
- sheet joints, 37
- shell
 - in concrete mixes, 214–15
 - in mortar sands, 242
- shell and auger sampling, 58
- Shellgrip, 269
- Sherwood Sandstone Group, 28, 56
- shingle ridges, 26
- ship transport, 134
- shock waves, in blasting, 81–2
- shot-firing, 83
- shrinkage, 218–19
- shrinkage joints, 37
- side-scan sonar, 60
- sideway force coefficient, 276–8
- Sidlaw Hills, 10
- sieve bends, 127
- sieving, 172, 229
- silcrete, 30
- silica, reactive, 210
- silica dusts, 95
- sills, 9
- siltstone, 14, 17
- Site Investigations, Code of Practice, see BS 5930
- sizing, 125
- skid resistance, 185, 267–8, 277–9
- Skylab, 47
- slack line excavators, 90, 104
- slag, for ballast, 288–9
- slags, unbound pavements, 252
- slake durability index, 187
- slate, 10, 14, 32
- slate waste, 14, 252
- sleepers, concrete, 285
- slickensides, 36
- small-scale mapping, 46
- smectite, 257
- sodium sulphate, 216
- sodium sulphate soundness value, 295
- soil survey maps, 42
- solifluction deposits, 24
- soluble salt damage, 258–9
- soluble salts, in mortars, 233
- sonic drills, 18
- sorting, 129
- soundness, for concrete, 208–9
- soundness tests, 186
- South Africa, 7, 33
 - volcanic rocks, 7
- Southern African standards, 156
- Specification for Highway Works, 162, 190, 216, 260, 276
- Specification for Road and Bridge Works, 277
- Spey, River, 17
- sphericity tests, 176
- SPOT satellite, 49
- Staffa, 35
- static immersion tests, 192
- statistics, 169–70
- steel slag, 252, 260, 267, 271
- stemming, 83–4
- stockpiles, 108, 133, 168
- storage, 133
- storage bunds, 89
- storm beaches, 26
- Strathmore, 28, 33
- stratigraphic column, 6
- strength, mortars, 235
- strength tests, 177
- strike-joints, 37
- strike-slip faults, 36
- stripping, 269–70, 274
- stripping tests, 266
- Strontian Granite, 10
- structural concrete, 6
- sub-base specifications, 258
- subgrade drilling, 84
- suction dredging, 90, 92
- sulphate content, 259–60
- sulphate content tests, 190
- sulphate resistance, 213
- sulphate soundness test, 187
- sulphate test, 208–9
- sulphates, in concrete, 216
- super-quarries, 73–4, 98
- superficial deposits, 5
- surface coating, filters, 292–3
- surface dressing, 276
- surface texture, 158
- surface texture tests, 176
- surfactants, 272
- surficial deposits, 15
- swelling, clay minerals, 213
- swing hammers, 112
- Synopal, 269

- Taele Gravel, 24
- talus, 24
- tar, as bitumen additive, 272–3
- Tayside, 9
- ten per cent fines tests, 180, 208, 253, 265, 280
- tension gashes, 36
- tension joints, 37
- terminology, 149
- terra rossa, 29
- terrace gravels, 6
- teschenite, 273
- testing, 171–2
 - standards, 172
- Texas Boiling Test, 192
- Thames, River, 17–19
- Thames Estuary, 26
- Thames gravels, 19
- thaw weakening, 257
- thermal expansion, 220
- thermal imagery, 49

- thermal movement, 218, 220
- thickeners, 131
- thickness, deposits, 54
- Threlkeld, 10
- till, 19–21, 23
- top-hammer drilling, 80, 81
- topographic maps, 41
- Town and Country Planning Acts, 136
- Trade Group Classification, 151, 273
- traditional names, 50
- trail dredging, 92
- tramp metal, 129
- trench sampling, 168
- trenching, 56
- Trent, River, 19
- trial pits, 56
- trommel screens, 120–1
- tropical aggregates, 30–1
- tuff, 7

- unbound pavements, 249
- unconfined compressive stress, 108
- underground quarrying, 99
- unsound aggregates, 255

- vapour permeability, 258
- vein-quartz, 16
- vermiculite, 210, 246
- vertical shaft impactors, 113
- vibrating screens, 118, 120
- vibrocorers, 58, 60
- visual impact, 41, 97
- void contents, mortar sands, 245
- volcanic necks, 9

- wadi deposits, 29
- Wales
 - basic igneous rocks, 9
 - mortar sands, 242
- washing, 125

- Washington Degradation Test, 187
- washouts, 17
- waste tips, 77
- waste transport, 76
- water absorption, 7, 13, 206
 - concrete, 206
- water absorption tests, 176
- water retention, mortars, 234
- water tables, 89
- Weald, 17
- wear coefficient, 289
- weathering, 30, 32–3, 55, 146–9
 - bituminous mixes, 273
 - granite, 10
- weathering grade, 31, 33, 76, 148
 - classification, 76
- weathering resistance, 255–6, 266, 273
- weigh-bridges, 134
- weighing methods, 134
- wells, for dewatering, 89
- Wenner arrays, 49
- Western Approaches, 26
- Westleton Beds, 27
- wet attrition test, 286–7
- wet screening, 120
- wet working, 90
- wheeled loaders, 86, 88, 104
- Whin Sill, 9
- whinstone, 149
- wireline drilling, 55
- workability, mortars, 234, 246
- working faces, 64

- xenoliths, 35

- yield, constraints on, 64
- Ystwyth, River, 16

- zinc oxide, 217