

Contents

Foreword	xix
Acknowledgements	xx
Dedication	xxi
Chapter 1 Introduction to engineering geology and geomorphology of glaciated and periglaciated terrains	1
1.1 Introduction	1
1.2 A history of engineering difficulties in formerly glaciated and periglaciated terrain	3
Case History 1.1: A glacially over-deepened valley and a tunnel heading in Switzerland	5
Case History 1.2: The first identification of solifluction shear surfaces at low slope angles, Sevenoaks Bypass, Kent	7
Case History 1.3: Landslide in quick clay at Rissa, Norway, 1978 (Gregersen 1981)	10
Case History 1.4: Residential apartment blocks constructed on loess, Volgodonsk, Rostov Oblast, Russia	11
Case History 1.5: Reactivation of periglacial shear surfaces resulting in embankment dam failure	12
Case History 1.6: A51 Grenoble to Sisteron Autoroute through former glacial Lac de Trièves	13
Case History 1.7: Glaciotectonic raft of Chalk interpreted during an offshore ground investigation, southern North Sea, UK	16
1.3 The Working Party	18
1.3.1 Background	18
1.3.2 Membership	18
1.3.3 Objectives	20
1.4 Scope of the report	20
1.5 Structure of the book and its contents	22
1.6 Using the Working Party book	25
References	27
Chapter 2 The Quaternary	31
2.1 Introduction	31
2.1.1 Terms and definitions	33
2.1.2 Origins of, and mechanisms driving, Quaternary climate change	33
2.1.3 Purpose and focus of this report	34
2.2 Reconstructing Quaternary environmental change	34
2.2.1 Archives recording Quaternary history	34
2.2.1.1 Oxygen isotope stages	35
2.2.1.2 Climate change in both archives and implications: a synthesis	36
2.2.1.3 Glaciological implications of Heinrich events	36
2.2.1.4 A scenario of ice-sheet–climate–ocean interaction	37
2.2.1.5 Terrestrial archives	37
2.2.2 Dating Quaternary sediments	37
2.3 Resulting subdivision and timing of the Quaternary	40
2.3.1 Terrestrial stratigraphy	41
2.3.2 Quaternary cold-climate lithostratigraphy	41
2.3.3 The Wolstonian ‘problem’	42

2.4	The depositional record of sea-level changes in glaciated terrains	44
2.5	Terrestrial sedimentary response to Quaternary climatic fluctuations	45
2.6	Implications for engineering geology	52
	References	52
Chapter 3	Geomorphological framework: glacial and periglacial sediments, structures and landforms	59
3.1	Introduction	59
3.2	Terrain evaluation	60
3.3	Terrain classification	60
3.4	Engineering geological, glacial and periglacial ground models	62
3.4.1	Engineering geological ground models	62
3.4.2	Geomorphological landsystem models	65
3.4.2.1	Glacial landsystems	65
3.4.2.2	Periglacial landsystems	69
3.5	Glaciogenic sediment descriptors	78
3.5.1.1	Subglacial traction till	83
3.5.1.2	Glaciotectonite	86
3.5.1.3	Supraglacial mass-flow diamicton/glaciogenic debris-flow deposit	89
3.5.1.4	Melt-out till	91
3.5.2.1	Rhythmites (non-genetic)	93
3.5.2.2	Varves (seasonal rhythmites)	95
3.5.2.3	Cyclopels and cyclopsams (tidally influenced rhythmites)	97
3.5.2.4	Turbidites	99
3.5.2.5	Dropstone mud and plumites/silt and mud drapes (ice-rafted debris)	101
3.5.2.6	Dropstone diamicton and glaciomarine varves (ice-rafted debris)	103
3.5.2.7	Undermelt diamicton	105
3.5.2.8	Iceberg-contact deposits (ice keel turbate, iceberg dump structures and mounds)	106
3.5.2.9	Glaciogenic debris flow (debrites)/subaqueous slide and slump deposits (including cohesive and cohesionless)	108
3.5.2.10	Subaqueous debris-fall deposits (including olistostromes)	111
3.5.2.11	Palimpsest lags	113
3.5.3.1	Hyperconcentrated flow deposits (jökulhlaup-type flood deposits)	114
3.5.3.2	Gravel rhythmites (flood facies)	116
3.5.3.3	Plane bed deposits	119
3.5.3.4	Cross-bedded facies (dunes and antidunes)	120
3.5.3.5	Ripple cross-laminations (including climbing ripple drift)	123
3.5.3.6	Gravel sheets	126
3.6	Periglacial sediment descriptors	128
3.6.1.1	Granular head deposits	129
3.6.1.2	Clay-rich head deposits	131
3.6.1.3	Slopewash deposits	133
3.6.1.4	Fluvio-colluvial deposits	135
3.6.1.5	Talus deposits	137
3.6.1.6	Avalanche deposits	140
3.6.1.7	Blockslope deposits	143
3.6.1.8	Debris-flow deposits	145
3.6.2.1	Sorted sand and gravel	147
3.6.2.2	Channel scours	148

CONTENTS

vii

3.6.2.3	Fine-grained sediments and organic beds in channel fills and on floodplains	149
3.6.3.1	Fluvio-aeolian sand	150
3.6.4.1	Loess	151
3.6.4.2	Coversand (sand-sheet deposits)	152
3.6.4.3	Dune sand	154
3.6.4.4	Niveo-aeolian sand deposits	155
3.6.5.1	Blockfield deposits	158
3.6.5.2	Brecciated bedrock	161
3.7	Macrostructural, erosional and sediment architectural element descriptors	164
3.7.1.1	Clastic dykes, intrusions and hydrofracture fills	165
3.7.1.2	Soft sediment deformation and slump and loading structures	167
3.7.1.3	Dewatering structures	168
3.7.1.4	Microfluting	170
3.7.1.5	Boulder pavements	171
3.7.1.6	Canal fills	172
3.7.2.1	Glaciotectonic foliations	173
3.7.2.2	Glaciotectonic lineations	174
3.7.2.3	Glaciotectonic boudinage	175
3.7.2.4	Glaciotectonic shear zones	177
3.7.2.5	Glaciotectonic folds	178
3.7.2.6	Glaciotectonic faults and thrusts	180
3.7.2.7	Glaciotectonic grabens and half-grabens	183
3.7.3.1	P-forms	184
3.7.3.2	Lunate fractures	185
3.7.3.3	Crescentic gouges	186
3.7.3.4	Crescentic fractures	187
3.7.3.5	Chattermarks	188
3.7.3.6	Rat tails	189
3.7.3.7	Grooves, striations and polished surfaces	190
3.7.4.1	Channel elements	191
3.7.4.2	Downstream accretion elements	192
3.7.4.3	Lateral accretion elements	193
3.7.4.4	Gravel bar and bedform elements	194
3.7.4.5	Sediment gravity-flow elements	195
3.7.4.6	Sandy bedform elements	196
3.7.4.7	Laminated sand-sheet elements	197
3.7.4.8	Overbank fines elements	198
3.7.5.1	Periglacial involutions	199
3.7.5.2	Periglacial creep folds	200
3.7.5.3	Platy structures	201
3.7.5.4	Relict periglacial shears	202
3.7.5.5	Thermal contraction cracks	203
3.7.5.6	Ice-wedge pseudomorphs	204
3.7.5.7	Relict sand wedges	206
3.7.5.8	Composite-wedge pseudomorphs	207
3.7.5.9	Vertical to steeply dipping elongate clasts	208
3.7.5.10	Downslope-deflected strata	209

3.7.5.11	Gulls	210
3.7.5.12	Dip and fault structures	211
3.7.5.13	Superficial valley disturbances and valley bulges	212
3.7.5.14	Buried hollows	213
3.7.6	Superimposed or overprinted sedimentary and structural signatures	214
3.7.6.1	Interbedded diamictons and thin stratified lenses	214
3.7.6.2	Glaciotectonite	215
3.7.6.3	Ice-wedge pseudomorph developed in glaciolacustrine sediments	216
3.7.6.4	Ground ice developed in refrozen mass-flow deposits	217
3.7.6.5	Periglacial involutions within refrozen mass-flow deposits	218
3.7.6.6	Banded massive ground ice beneath glacial diamicton	219
3.8	Microstructures in glacial and periglacial sediments	220
3.8.1	Periglacial microstructures in engineering soils	220
3.8.1.1	Relict periglacial shear microstructure	221
3.8.1.2	Platy or lenticular microstructure	222
3.8.1.3	Banded microstructure or 'banded fabric'	223
3.8.1.4	Granular microstructure	224
3.8.1.5	Silt cappings microstructure	225
3.8.1.6	Vesicular microstructure	226
3.8.2	Periglacial microstructures superimposed on glaciogenic sediments	227
3.8.2.1	Platy or lenticular microstructure	228
3.8.2.2	Granular microstructure	229
3.8.2.3	Silt cappings microstructure	230
3.8.2.4	Calcitans microstructure	231
3.8.2.5	Clay cutans or ferri-argillans microstructure	232
3.8.2.6	Oriented clay domains microstructure	233
3.8.2.7	Banded microstructure	234
3.8.3	Glaciogenic sediment microstructures	235
3.8.3.1	Base of subglacial traction till	235
3.8.3.2	Base of subglacial mass-flow diamicton	236
3.8.3.3	Bedrock-rich subglacial traction till	237
3.8.3.4	Faulted lake sediments	238
3.8.3.5	Hydrofracture	239
3.8.3.6	Massive till	240
3.8.3.7	Soft-sediment deformation	242
3.8.3.8	Pseudo-stratified diamicton	243
3.8.3.9	Glaciotectonite in lake sediments	245
3.8.3.10	Till over laminated lake sediments	246
3.8.3.11	Melt-out till	247
3.9	Terrain unit descriptors	248
3.10	Glacial landsystems	248
3.10.1.1	Areal scouring	249
3.10.1.2	Glaciated valleys and glacial troughs	250
3.10.1.3	Hanging valleys	251
3.10.1.4	Arêtes	252
3.10.1.5	Glacial watershed breaches	253
3.10.1.6	Whalebacks	254

CONTENTS

ix

3.10.1.7 Trough heads	255
3.10.1.8 Rock basins	256
3.10.1.9 Rock steps	257
3.10.1.10 Cirques (corrie or cwm)	258
3.10.1.11 Cols	259
3.10.1.12 Horns	260
3.10.1.13 Nunataks	261
3.10.1.14 Roche moutonnées	262
3.10.1.15 Röthlisberger channels	263
3.10.1.16 Crag and tail ridges	264
3.10.1.17 Riegel	265
3.10.1.18 Push and squeeze moraines	266
3.10.1.19 Dump moraines and ice-marginal aprons	267
3.10.1.20 Latero-frontal fans and ramps	268
3.10.1.21 Medial moraines	269
3.10.1.22 Hummocky moraine and controlled moraines	270
3.10.1.23 Ribbed terrain	271
3.10.1.24 Glacial erratics	272
3.10.1.25 Crevasse-fill ridges (including crevasse-squeeze ridges)	273
3.10.1.26 Megascale glacial lineations, megafutes and megagrooves	274
3.10.1.27 Flutes	275
3.10.1.28 Drumlins	276
3.10.1.29 Glacial trimlines	277
3.10.2.1 Composite ridges and thrust block moraines	278
3.10.2.2 Hill-hole pairs	279
3.10.2.3 Cupola hills	280
3.10.2.4 Megablocks and rafts	281
3.10.3.1 Tunnel valleys, tunnel channels, rinnentäler	282
3.10.3.2 Lateral meltwater channels	283
3.10.3.3 Ice-marginal channels	284
3.10.3.4 Subglacial gorges	285
3.10.3.5 Nye channels	286
3.10.3.6 Eskers	287
3.10.3.7 Kame mounds	288
3.10.3.8 Kame terraces	289
3.10.3.9 Valley trains	290
3.10.3.10 Sandar/outwash fans and plains	291
3.10.3.11 Pitted sandar (kettled outwash plain)	292
3.10.3.12 Kettle holes/ponds	293
3.10.3.13 Iceberg melt-out pits and scours	294
3.10.4.1 Morainal banks and coalescent subaqueous fans	295
3.10.4.2 De Geer (washboard) moraines	296
3.10.4.3 Ice-shelf moraines	297
3.10.4.4 Shorelines or strandlines	298
3.10.4.5 Fjords	299
3.10.4.6 Submarine troughs (cross-shelf troughs)	300
3.10.4.7 Grounding line or subaqueous outwash fans	301
3.10.4.8 Grounding-zone wedges	302

3.10.4.9 Trough-mouth fans	303
3.10.4.10 Ice-contact deltas	304
3.10.4.11 Gilbert-type deltas	305
3.10.4.12 Hjulström-type deltas	306
3.11 Periglacial landsystems	307
3.11.1.1 Blockfields/felsenmeer	308
3.11.1.2 Frost-patterned ground	309
3.11.1.3 Periglacial trimlines	310
3.11.1.4 Tors	311
3.11.1.5 Deflation scars	312
3.11.1.6 Deflation surfaces	313
3.11.1.7 Wind stripes	314
3.11.1.8 Wind crescents	315
3.11.2.1 Solifluction sheets and aprons	316
3.11.2.2 Solifluction lobes	317
3.11.2.3 Solifluction benches and terraces	318
3.11.2.4 Ploughing boulders	319
3.11.3.1 Talus accumulations and slopes	320
3.11.3.2 Rock glaciers	321
3.11.3.3 Protalus ramparts and pronival ramparts	322
3.11.3.4 Cryoplanation terraces	323
3.11.3.5 Nivation hollows	324
3.11.3.6 Cliffs	325
3.11.4.1 Periglacial debris flows	326
3.11.4.2 Periglacial debris cones	327
3.11.4.3 Boulder sheets and lobes	328
3.11.4.4 Alluvial fans	329
3.11.5.1 Periglacial river terraces	330
3.11.5.2 Dry valleys	331
3.11.5.3 Relict frost mounds/relict ramparted ground-ice depressions: pingos	332
3.11.5.4 Relict frost mounds/relict ramparted ground-ice depressions: palsas and lithalsas	333
3.11.5.5 Large relict thermokarst depressions	334
3.11.5.6 Cambered strata	335
3.11.6.1 Buried valleys	336
3.12 Slope failures in glaciated and periglaciated terrains	337
3.12.1 Active-layer slides (shallow translational slides)	338
3.12.2 Retrogressive thaw slumps	339
3.12.3 Deep-seated rotational slides	340
3.12.4 Translational rockslides	341
3.12.5 Rockfalls and rock avalanches	342
3.12.6 Mountain slope deformation (deep-seated gravitational failures)	343
3.12.7 Sensitive clay spreads and flowslides	344
Photo credits	345
References	345
Quaternary Research Association (London) Field Guides	366

Chapter 4 Conceptual glacial ground models: British and Irish case studies	369
4.1 Introduction and rationale	369
4.1.1 The glacial debris cascade and till sedimentology	369
4.1.2 The glacial landsystems approach	373
4.1.3 British and Irish palaeoglaciology	375
4.2 Ice-sheet-related landsystems	375
4.2.1 Sediment–landform associations	375
4.2.1.1 Subglacial footprint	377
4.2.1.2 Ice-marginal complexes	383
4.2.1.3 Supraglacial debris complexes	385
4.2.2 Typical British and Irish ground models	386
4.2.2.1 Ice-sheet beds	386
4.2.2.2 Ice-sheet marginal settings	395
4.2.2.3 Supraglacial assemblages	403
4.3 Upland glacial landsystems (hard bedrock terrain)	407
4.3.1 Sediment–landform associations	407
4.3.1.1 Subglacial footprint	409
4.3.1.2 Ice-marginal complexes	409
4.3.1.3 Supraglacial debris complexes	413
4.3.2 Typical British and Irish ground models	414
4.3.2.1 Ice-sheet recessional settings/topographically constrained ice flow	414
4.3.2.2 Mountain icefields	414
4.3.2.3 Smaller mountain glaciers	421
4.4 Glaciofluvial sediment–landform associations	422
4.4.1 Sediment–landform associations	423
4.4.1.1 Ice-contact settings	423
4.4.1.2 Proglacial settings	431
4.4.2 Typical British and Irish ground models	434
4.4.2.1 The Brampton kame belt and Pennine Escarpment meltwater channels	434
4.4.2.2 Llyn Peninsula	441
4.4.2.3 Strathallan	443
4.4.2.4 Carstairs	445
4.5 Subaqueous glacial depositional sequences	448
4.5.1 Sediment–landform associations	449
4.5.1.1 Ice-proximal depocentres	453
4.5.1.2 Distal subaqueous sediment assemblages	453
4.5.2 Typical British and Irish ground models	456
4.5.2.1 Rhosesmor and Wrexham deltas	456
4.5.2.2 Achnasheen	458
4.5.2.3 NW Britain continental shelf	458
4.5.2.4 Waterville, Ireland	462
4.6 Conclusions: reconciling landsystems and domains	464
References	490
Chapter 5 Periglacial and permafrost ground models for Great Britain	501
5.1 Introduction and rationale	501
5.1.1 Conceptual framework	501
5.1.2 Periglacial, permafrost and paraglacial environments	502

5.1.2.1	Periglacial environments	502
5.1.2.2	Permafrost	502
5.1.2.3	Paraglacial landscape modification	504
5.1.3	Ground ice	505
5.1.3.1	Occurrence	505
5.1.3.2	Pore ice	506
5.1.3.3	Segregated ice	506
5.1.3.4	Intrusive ice	507
5.1.3.5	Wedge ice	508
5.1.4	Periglacial disturbance, periglacial debris system and frost susceptibility	508
5.1.4.1	Periglacial disturbance	508
5.1.4.2	Periglacial debris system	508
5.1.4.3	Frost susceptibility	509
5.1.5	Periglacial land systems, terrains and regions	509
5.1.5.1	Periglacial land systems	509
5.1.5.2	Periglacial regions	510
5.2	Lowland periglacial terrains	513
5.2.1	Lowland periglacial land systems	513
5.2.1.1	Chronology	513
5.2.1.2	Environmental conditions and permafrost extent	515
5.2.1.3	Permafrost thickness	516
5.2.2	Lowland plateau land systems	516
5.2.2.1	Weathering profiles (brecciated bedrock)	516
5.2.2.2	Cold-climate aeolian deposits and erosional features	521
5.2.2.3	Involutions	523
5.2.2.4	Large-scale frost-patterned ground	523
5.2.2.5	Periglacial-karst features	525
5.2.3	Sediment-mantled hillslope land systems	528
5.2.3.1	Deformed weathered bedrock	528
5.2.3.2	Relict periglacial slope (head) deposits	530
5.2.3.3	Cambered strata and widened vertical joints (gulls)	533
5.2.4	Rock-slope land systems	537
5.2.5	Slope-foot land systems	537
5.2.5.1	Sediment lobes	538
5.2.5.2	Alluvial fans	538
5.2.5.3	Aprons, sheets or remnant patches of head deposits	538
5.2.5.4	Deep-seated landslides	538
5.2.6	Valley land systems	541
5.2.6.1	Superficial valley disturbances (bedrock)	541
5.2.6.2	Dry valleys, slopewash and fluvio-colluvial deposits	542
5.2.6.3	Periglacial fluvial deposits and river terraces	544
5.2.6.4	Thermal contraction crack structures	547
5.2.6.5	Relict frost mounds	549
5.2.6.6	Large relict thermokarst depressions	552
5.2.7	Buried land systems	552
5.2.8	Submerged land systems	553
5.2.8.1	Southern North Sea Basin	553
5.2.8.2	English Channel (La Manche)	553

5.2.9 Typical lowland ground models	555
5.2.9.1 Limestone plateau-clay vale ground model	555
5.2.9.2 Caprock plateau-mudstone valley ground model	558
5.3 Upland periglacial terrains	558
5.3.1 Upland periglacial landsystems: chronology and environment	558
5.3.2 Upland plateau landsystems	558
5.3.2.1 Blockfields, trimlines and tors	558
5.3.2.2 Frost-patterned ground	563
5.3.2.3 Aeolian landforms and deposits on high plateaux	564
5.3.3 Sediment-mantled hillslope landsystems	564
5.3.4 Rock-slope landsystems	566
5.3.4.1 Rock-slope failures	566
5.3.4.2 Talus accumulations	568
5.3.4.3 Rock glaciers and protalus ramparts	569
5.3.5 Slope-foot landsystems	569
5.3.5.1 Periglacial valley-fill deposits	569
5.3.5.2 Snow avalanche deposits	571
5.3.5.3 Debris flows and debris cones	571
5.3.5.4 Alluvial fans	573
5.3.6 Terrain models and typical upland ground models	573
5.4 Conclusions	577
References	583
Chapter 6 Material properties and geohazards	599
6.1 Introduction	599
6.2 Ice-related terrains: subglacial, supraglacial and glaciated valley	600
6.2.1 Till	600
6.2.1.1 Introduction	600
6.2.1.2 Glacial till stratigraphy	603
6.2.1.3 Geotechnical properties	621
6.2.1.4 Geotechnical properties	627
6.2.1.5 Weathering of glacial tills	633
6.2.2 Eskers, kames and kame terraces	641
6.3 Water-related domains (fluvial, lacustrine and marine): glaciofluvial, glaciolacustrine and glaciomarine	641
6.3.1 Sands and gravels	641
6.3.2 Glaciolacustrine deposits	641
6.3.2.1 The glacial lake environment	641
6.3.2.2 Glaciolacustrine deposits and depositional processes	643
6.3.2.3 Geotechnical properties	644
6.3.2.4 Geohazard behaviour	647
6.3.2.5 UK lithostratigraphy	658
6.3.3 Quick clay	658
6.3.4 Ice-rafted debris (including dropstones) and iceberg-contact deposits	662
6.4 Ice-front-related terrains: glaciotectonic and ice marginal	663
6.4.1 Deformed/shattered bedrock	663
6.4.2 Subglacial deformation of soils	663
6.5 Upland periglacial terrains	664

6.5.1 Boulder fields and tongues	664
6.5.2 Scree and talus	664
6.6 Lowland periglacial terrains	664
6.6.1 Solifluction deposits and colluvium	664
6.6.2 Periglaciated rock surfaces	669
6.6.3 Ice-wedge pseudomorphs and involutions	670
6.6.4 Loessic deposits/brickearth	670
6.6.4.1 Distribution and identification	670
6.6.4.2 Composition	673
6.6.4.3 Geotechnical properties	673
6.6.4.4 Geohazards associated with loessic deposits	674
6.6.4.5 Engineering treatment	678
6.7 Local geohazards	678
6.7.1 Superficial valley disturbances: cambering, gulls and valley bulging	678
6.7.1.1 Engineering aspects	680
6.7.2 Solifluction shears	682
6.7.3 Kettle holes	683
6.7.4 Relict cryogenic mounds	683
6.7.4.1 Characteristics of the relict forms	683
6.7.4.2 Occurrence in the UK	684
6.7.4.3 Processes of formation	684
6.7.4.4 Engineering geological characteristics	685
6.7.4.5 Mitigation measures	685
6.7.5 Relict scour hollows	685
6.7.5.1 Occurrence	687
6.7.5.2 Formational processes	687
6.7.5.3 Engineering geological characteristics	687
6.7.5.4 Mitigation measures	687
6.8 Regional geohazards	689
6.8.1 Neotectonics: differential crustal movements across SE England during the Holocene following deglaciation	689
6.8.1.1 The eustatic record	691
6.8.1.2 The isostatic record	691
6.8.1.3 Case studies of two areas	691
6.8.1.4 Summary of eustatic changes in SE England	697
6.8.2 Quaternary palaeoseismicity	698
6.9 Summary and conclusions	701
Appendix 6.1 Summary description of British till formations and members	702
A6.1.1 Caledonia Glacigenic Group (CALI)	703
A6.1.2 Albion Glacigenic Group (ALBI)	710
Appendix 6.2 Additional Geotechnical Plots	713
Appendix 6.3 Particle Size Distribution and SPT 'N' Value Depth Plots by 100 km Grid Square	721
References	732
Chapter 7 Engineering investigation and assessment	741
7.1 Introduction	742
7.2 Preliminaries	742
7.2.1 Desk studies and field reconnaissance	743

7.2.2 Remote sensing (RS) and geographical information systems (GIS)	743
7.2.3 Engineering geological and geomorphological mapping	746
7.2.4 Use of archaeology	748
7.2.4.1 Tools	749
7.2.4.2 Interpretation	750
7.2.4.3 Case studies	753
Case Study 7.1: Dogger bank	753
Case Study 7.2: Olympic Park	756
7.2.4.4 Conclusions	759
7.2.5 Additional requirements for planning offshore and nearshore SI	759
7.2.5.1 Phases of site investigation	759
7.2.5.2 Nature of deposits	759
7.2.5.3 Weather and the management of risk	760
7.2.5.4 Gas risk	760
7.2.5.5 Additional standards	760
7.3 Near-surface geophysics	760
7.3.1 Geophysical techniques and the physical properties of glacial and periglacial materials	761
7.3.2 Physical properties of glacial and periglacial materials	761
7.3.2.1 Fines (clays and silts)	761
7.3.2.2 Sands	761
7.3.2.3 Gravels	763
7.3.2.4 Diamicton	763
7.3.3 Geophysical techniques	763
7.3.4 Marine geophysical investigation: additional considerations	765
7.3.5 Conclusions for best practices with geophysical surveying	765
7.4 Soil and rock descriptions	767
7.4.1 Introduction	767
7.4.2 Grain size	771
7.4.3 Consistency	772
7.4.4 Widely graded soils	772
7.4.5 Coarse and very coarse fractions	773
7.4.6 Bedding	774
7.4.7 Discontinuities	775
7.4.8 The soil–rock boundary	775
7.4.9 Expectations from the conceptual model	775
7.5 Ground investigation	775
7.5.1 Introduction: issues with the investigation of glacial and periglacial deposits	776
7.5.2 Planning investigations	776
7.5.2.1 Defining investigation objectives	776
7.5.2.2 Conceptual models of the ground	777
7.5.3 Choice of ground investigation techniques and plant applicable to glacial and periglacial deposits	778
7.5.4 Offshore and nearshore intrusive investigations	778
7.5.4.1 Nearshore delivery systems	783
7.5.4.2 Offshore delivery systems	783
7.5.5 Resolution of data	784
7.5.6 Choice of sampling and laboratory testing	786

7.5.6.1 Disturbed sampling	788
7.5.6.2 Intact and undisturbed sampling	788
7.5.6.3 Sample screening	791
7.5.7 Specialist investigation	791
7.5.8 Integration of site, geophysical and laboratory data	796
7.6 Hydrogeological investigation	798
7.6.1 Introduction	798
7.6.2 Approach	798
7.6.3 Desk study and preliminary conceptual model	798
7.6.4 Data analysis	802
7.6.4.1 Boreholes and completions	802
7.6.4.2 Permeability testing	803
7.6.4.3 Interpreting permeability measurements	804
7.6.4.4 Head measurements	804
7.6.4.5 Interpreting head measurements	806
7.6.5 Site investigation	809
7.6.6 Numerical model	812
7.6.6.1 Numerical modelling approach and code selection	812
7.6.6.2 Model configuration	812
7.6.6.3 Model parameterization and calibration	813
7.6.6.4 Contaminant transport models	813
7.6.6.5 Iteration and confidence building	814
7.6.7 Applying the model	814
7.6.7.1 Water resources and engineering	814
7.6.7.2 Groundwater quality and contaminant transport	814
7.6.8 Summary	815
7.7 Engineering ground model	815
7.7.1 A ground model	815
7.7.2 A basic idea	816
7.7.3 Adding the glacial and periglacial component	817
7.7.4 Staff and time resources	818
7.7.5 Assumptions, classifications and baseline values	819
7.7.6 Risk	819
7.7.6.1 Approach 1	820
7.7.6.2 Approach 2	822
7.7.7 End note	823
7.8 Conclusion	823
References	824
Chapter 8 Design and construction considerations	831
8.1 Introduction	831
8.2 Earthworks and man-made slopes	834
8.2.1 Earthworks	834
8.2.2 Cuttings	841
8.2.3 Embankments	844
8.2.4 Trenches	847
8.2.4.1 Stability of trench walls	847

CONTENTS

xvii

8.2.4.2	Excavatability	847
8.2.4.3	Pipeline foundations	848
8.2.4.4	Drainage, seepage and inundation	848
8.2.4.5	Reuse of materials	848
8.2.4.6	Corrosion (pipelines/cables) due to ground geochemistry	848
8.2.5	Aggregates and other materials	848
8.2.6	Conclusions	849
8.3	Tunnels and underground structures	849
8.3.1	Tunnelling considerations	849
8.3.2	Groundwater lowering	851
8.3.3	Common problems	852
8.3.4	Tunnelling techniques	853
8.3.5	Conclusions	854
8.4	Dams and reservoirs	855
8.4.1	Dam foundation problems	855
8.4.1.1	Carsington Dam, Derbyshire, UK	856
8.4.1.2	Zelazny Most Tailings Dam, Poland	858
8.4.1.3	Empingham Dam, Rutland, UK	861
8.4.2	Embankment dams constructed on clay-rich tills	862
8.4.2.1	Compaction of glacial clay fill	862
8.4.2.2	Sliding failure due to high fill pore pressures	862
8.4.2.3	Potential for overtopping wave due to landslides	863
8.4.3	Conclusions	863
8.5	Foundations	863
8.5.1	Shallow foundations	863
8.5.2	Pile foundations	866
8.5.3	Retaining walls	870
8.5.4	Specific problems	871
8.5.4.1	Drift-filled hollows in London Clay	871
8.5.4.2	Infilled periglacial valley	871
8.5.4.3	Ice wedge and involutions	872
8.5.4.4	Gulls in limestone	872
8.5.4.5	Valley bulges	872
8.5.4.6	Solution features	874
8.5.4.7	Slopewash	874
8.5.5	Summary	875
8.6	Offshore engineering and installation	875
8.6.1	Introduction	875
8.6.2	Central North Sea and German Bight: oil and gas, wind and tidal energy	875
8.6.3	Norwegian Barents and Russian Kara seas: oil and gas	877
8.6.4	Canadian Scotian Shelf: oil and gas and wind energy	878
8.6.5	Gulf of Maine: wind and wave energy	878
8.6.6	Driven–drilled and grouted piles	879
8.6.6.1	Design issues	879
8.6.6.2	Construction and installation issues	880
8.6.7	Gravity-base structures	881
8.6.7.1	Design issues	881

8.6.7.2 Construction and installation issues	882
8.6.8 Subsea templates and suction caissons	883
8.6.8.1 Design issues	883
8.6.8.2 Construction and installation issues	884
8.6.9 Pipelines and cables	884
8.6.10 Conclusions	884
8.7 Summary and key conclusions	884
References	885
Chapter 9 Conclusions and illustrative case studies	891
9.1 Introduction	891
9.2 Case studies	892
9.2.1 Glacial examples	892
Case Study 9.1: Stress-relief fractures in deglaciated valleys in Norway	894
Case Study 9.2: Sub-glacial channels and tunnel valleys, Doncaster, South Yorkshire	896
Case Study 9.3: Glacial overflow and marginal channels on the M6, Walton's Wood, Staffordshire	898
Case Study 9.4: Glacial lake deposits and infilled river channels at the Hylton Riverside Development, Sunderland, Tyne and Wear	899
Case Study 9.5: Hydrofracture systems in glacial environments	900
Case Study 9.6: The problems of identifying rockhead in Bolton, Lancashire	902
Case Study 9.7: Glacial tills and glaciotectonic rafting in the Dublin Port Tunnel, Ireland	904
Case Study 9.8: Pile installation in hard glacial tills: Clair Field west of Shetland, UK	905
Case Study 9.9: Piling in glaciofluvial outwash deposits, Hound Point, Firth of Forth, Scotland	908
Case Study 9.10: Glacial geo-engineering features along the A5 Llandygai to Chirk, north Wales	910
9.2.2 Periglacial examples	912
Case Study 9.11: Enigmatic cold-climate diamicton, Marsworth, Buckinghamshire	913
Case Study 9.12: Landslide at Mam Tor in Derbyshire	914
Case Study 9.13: UK Channel Tunnel portal at Castle Hill	916
Case Study 9.14: Superficial valley disturbances A4–A46 Batheaston–Swainswick Bypass, Bath and NE Somerset	918
Case Study 9.15: Periglacial discontinuities M25, Denham Corner, Buckinghamshire	920
Case Study 9.16: Periglacial discontinuities at the Flint Hall Farm Landslide, M25, Surrey	922
Case Study 9.17: Anomalous depressions and the London Water Ring Main	924
Case Study 9.18: Creation of the Strait of Dover and the English Channel	927
Case Study 9.19: Periglacial injection structures at Stanstead Abbots, Hertfordshire, UK	928
9.3 Conclusions	931
References	933
Index	937